



Bestway
APX365

Bestway

ABOVE GROUND POOLS

2025 CATALOG

2025 CATALOG COLLECTION

Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear*

Only available for INTL

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



Bestway



ANNIVERSARY
1994 — 2024

Three decades ago, Bestway created its very first product: a beach ball!

Since then, Bestway has produced over **1,100 products** in more than **120 countries** worldwide. In fact, 1 in 50 people around the world owns a Bestway product.

From our commitment to **innovation** and assuring the highest **quality** possible, to our vertically integrated manufacturing systems and **sustainability** efforts, every product Bestway creates centers on one goal: to help our customers get the most out of life by enjoying more adventure and making more memories.

Here's to the first 30 years, and to many, many more as we help people "**Live It Up!**"

OUR VISION & MISSION

Our Vision has remained the same since we created our very first product – a simple beach ball – in 1994: to create high-quality, innovative, recreational products that bring fun, relaxation and adventure to people’s lives. Behind that vision is our mission to create memorable experiences for families who want to splash into summer, relax in winter and make the most of every moment year-round.

Now over 30 years later, **Bestway** has forged a global presence in more than 120 countries by developing over 1,100 products and becoming forward-thinkers about sustainable business practices.

SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. Our advanced online services and customer service team allow customers to easily resolve issues that arise with their products, offer downloadable manuals and instructional videos, answers to their frequently asked questions and call support.



VERTICALLY INTEGRATED



CUSTOMER FOCUSED



INNOVATIVE



SUSTAINABLE



CONSUMER DRIVEN



FULLY OWNED PRODUCTION FACILITIES



SERVICE & SOLUTIONS

WHAT'S NEW AT BESTWAY

In 2020, Bestway opened our doors to a **new, clean, state-of-the-art manufacturing facility in Vietnam** in an effort to diversify our production capabilities globally. With rapid plans for expansion, this new facility offers additional tariff-saving opportunities and flexibility in Bestway's global manufacturing efforts.

Our Vietnam facility currently manufactures air mattresses, air pumps, pool filter pumps, inflatable pools, pool covers and trampolines. These products go through extensive PVC, lab and lifecycle testing to ensure high-quality and longevity.



VIETNAM QA TESTING PROCESS



GLOBAL FACTORIES



JIANGSU



HAIAN



NANTONG



SHANGHAI



VIETNAM



AROUND THE WORLD



SHANGHAI, CHINA HQ • PRODUCTION

No. 208 Jin Yuan Wu Road, Shanghai,
201812, China
+86 21 6913 5588
info@bestwaycorp.com



CHANDLER, U.S.A. R&D • SUBSIDIARY

3435 S. McQueen Road, Chandler, AZ 85286,
United States of America
+1 480 838 3888
info@bestwaycorp.us



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
+852 2997 7169
info@bestwaycorp.hk



MILAN, ITALY R&D • SUBSIDIARY

Via Resistenza, 5 20098
San Giuliano M.se (Mi), Italy
+39 02 9884 881
info@bestwaycorp.eu



BELGIUM / LUXEMBURG SUBSIDIARY

Graaf van Landststraat 148
9700 Oudenaarde, Belgium
+32 55 60 42 02
info@bestwaycorp.be



COPENHAGEN, DENMARK SUBSIDIARY

Amagertorv 17, 3rd Fl DK-1160
Copenhagen K Denmark
+45 78744569
info@bestwayscandinavia.eu



DUBAI, U.A.E. SUBSIDIARY

International Media Production Zone (IMPZ) Plot C22
Dubai, United Arab Emirates
+971 55 859 3104 / +971 4 2476 743
info@bestwayme.com



HAMBURG, GERMANY SUBSIDIARY

Parkstraße 11 24534
Neumünster, Germany
+49 4321 555 05 - 0
info@bestwaycorp.de



LYON, FRANCE SUBSIDIARY

223 rue des Metalliers ZI Les Platières
69700 Chassagny Beauvallon
+33 4 97 04 92 99
info@bestwaycorp.fr



MOSCOW, RUSSIA SUBSIDIARY

Moscow, metro Taganskaya,
st. Bolshiye Kamenshiki, 6, building 1
+8 (499) 501-11-64
info@bestway-russia.ru



SAN PAULO, BRAZIL SUBSIDIARY

Av Cerro Azul, 2783 Maringá - PR - Brazil
Zip Code: 87010-055
+55 44 3052-6006
info@bestwaycorp.com.br



SANTIAGO, CHILE SUBSIDIARY

Salar Ascotan 1282, Parque Enea, Pudahuel,
Santiago, Chile
+562 3203 6438
info@bestwaycorp.lat



SYDNEY, AUSTRALIA SUBSIDIARY

Unit 2/98-104 Carnarvon St Silverwater,
NSW 2128, Australia
+61 2 9037 1388
info@bestwaycorp.com.au



WARSAW, POLAND SUBSIDIARY

Ul. Ekologiczna 24 05-080
Klaudyn Poland
+48 22 60 22 508
info@bestwaycorp.pl

B THE CHANGE MISSION

Our Commitment to a Better Future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1,383,000 square feet of factory buildings, each covered in solar panels to equal about 40 soccer fields. As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging.**



Ongoing Energy Reduction Projects to Reduce Emissions



Reuse 38 Categories of Materials



Water is Reused in Factories, Offices & Dormitories



Annual Recipient of "China Top Performing Suppliers on Climate Action" Award

7.5%
OVERALL ENERGY
**POWERED
BY SOLAR**




40
SOCCER FIELDS
WORTH OF
**SOLAR
PANELS**



99.7%
OF SCRAP
MATERIALS ARE
REUSED*
*.3% of waste is incinerated



OVER
35,000
TONS OF PVC
REUSED IN 2022



BOXES MADE WITH
90%
POST-CONSUMER
**RECYCLED
MATERIAL**




96%
**RECYCLABLE
PACKAGING**



CONTENTS

KIDDIE POOLS	PG. 16
FAST SET™ POOLS	PG. 22
STEEL PRO® POOLS	PG. 30
STEEL PRO MAX™ POOLS	PG. 36
APX 365™ POOLS	PG. 62
HYDRIUM™ POOLS	PG. 68
POOL ACCESSORIES	PG. 78
Filtration	PG. 80
Environment	PG. 90
Maintenance Equipment	PG. 94
Pool Covers – Ground Cloths	PG. 120
INDEX	PG. 126





ABOVE GROUND POOL TECHNOLOGY

Our innovative pool technology takes Bestway® products to the next level. Through extensive research and product development, we have enhanced each line of above ground pools so that there is something for every type of consumer.

ADVANCED CONNECTION SYSTEMS

The advanced design of our frame connection systems is engineered to hold the corrosion-resistant steel frame together with strength and durability. The protective coating prevents damage and metal-on-metal contact, which can lead to rust.

DURABLE FRAMEWORK

Steel pool frames are built to last, even under the considerable weight of water and families having fun. In testing, our frames are proven to provide superior resistance to bending or damage. They never showed signs of rusting - even after 92 days of testing!

PERFECT FROSTED FINISH

Our steel pool frames feature a textured, frosted finish that not only looks great, but also has many benefits for the consumer. The finish serves as an extra barrier to damage, while the texture prevents the liner from sticking to the frame. This makes set-up and takedown easier than before!



PLANOGRAM



PLANOGRAM

Actual in-store displays may vary.

 U.S. DISPLAY

BESTWAY® ABOVE GROUND POOL PACKAGING

With a modern and informational design, our packaging looks great on the shelf. Prospective pool owners will get a feel for our different lines of above ground pools with a quick glance. And, don't forget the pool accessories!



 **INTERNATIONAL DISPLAY**



KIDDIE POOLS

ABOUT


Play pools are made for family fun! Easy to set up and constructed with durable materials, these pools ensure that the summer fun lasts all season long.

HIGHLIGHTS



UV CAREFUL™

Safe, Shaded Fun in the Sun™



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



EASY SETUP

It's as easy as 1-2-3!
Simply unpack, build and fill!

PRODUCT MATRIX

MY FIRST PLAY POOLS				FETCHIN' FUN™ PET PLAY POOL	SPLASH-IN-SHADE POOL
56217/E 48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm PG. 18	56283 5 ft. x 15 in. / 1.52 m x 38 cm PG. 18	57241/E 5 ft. x 15 in. / 1.52 m x 38 cm PG. 19	561CF/E 7 ft. x 48 in. x 12 in. / 2.13 m x 1.22 m x 30.5 cm PG. 20	561KM/E 4 ft. x 12 in. / 1.22 m x 30.5 cm PG. 20	56543/E & 56432 8 ft. x 20 in. / 2.44 m x 51 cm PG. 21

NEW





MY FIRST FRAME POOL

WATER CAPACITY (90%): 153 GAL. (580 L)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
56283	5 ft. x 15 in. / 1.52 m x 38 cm	6	58.4 (26.5)	Full color box

- Age: 2+
- Corrosion resistant metal frames
- Easy 10-minute setup with 2-3 people
- Easy to take down for off-season storage
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch
- Not available for US market



MY FIRST FRAME POOL

WATER CAPACITY (90%): 96 GAL. (365 L)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
56217/E	48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm	3	27.2 (12.4)	Full color box

- Age: 2+
- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



MY FIRST FAST SET™ POOL

WATER CAPACITY (80%): 126 GAL. (477 L)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
57241/E	5 ft. x 15 in. / 1.52 m x 38 cm	6	26.9 (12.2)	Full color box

- Age: 2+
- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Easy to take down for off-season storage
- Underwater adhesive repair patch



NEW

FETCHIN' FUN™ PET PLAY POOL

WATER CAPACITY (90%): 77 GAL. (292 L)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
561KM/E	4 ft. x 12 in. / 1.22 m x 30.5 cm	6	50.8 (23.0)	Full color box

- Tritech® puncture-resistant, UV-resistant sidewalls are reliable against weight, strain and movement
- Corrosion-resistant steel frame with frosted finish
- Frame and liner setup takes 10 minutes with 1-2 people
- Outer liner with playful dog graphics
- Drain valve



MY FIRST FRAME POOL AND SANDPIT

WATER CAPACITY (90%): 96 GAL. (365 L) / SAND CAPACITY (50%): 441 LBS (200 KG)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
561CF/E	7 ft. x 48 in. x 12 in. / 2.13 m x 1.22 m x 30.5 cm	4	78.5 (35.6)	Full color box

- Age: 2+
- Walls constructed with DuraPlus™ material, which is reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- Corrosion resistant metal frames
- Easy to set up and take down for off-season storage
- Pool and sandpit combo gives kids two ways to play
- Rectangular shape provides more area for swimming and playing
- Sandpit cover included
- Underwater adhesive repair patch



SPLASH-IN-SHADE PLAY POOL

WATER CAPACITY (90%): 446 GAL. (1,688 L)

ITEM #	REGION	SIZE	PACK	LBS (KG)	PACKAGING
56543E	US				
56543	North America	8 ft. x 20 in. / 2.44 m x 51 cm	1	29.5 (13.4)	Full color box
56543	Oceania				
56432	Europe				

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ - custom-molded T-connectors prevent metal-on-metal corrosion
- Outer wall with tropical leaf printing
- UPF 40+ Rated
- Water mister on the top of shade attaches to garden hose
- Easy 20-minute setup
- Easy to disassemble when preparing for off-season storage
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- Pool is equipped with fittings for compatibility with Bestway® filter pumps
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch



FAST SET™

ABOUT


Fast and simple to assemble - just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!

HIGHLIGHTS



SELF-SUPPORTING INFLATABLE TOP RING

No tools needed! Simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.




EASY SETUP

It's as easy as 1-2-3!
Simply unpack, inflate and fill!

PRODUCT MATRIX

20 - 24 IN. / 51 - 61 CM		30 - 33 IN. / 76 - 84 CM			42 IN. / 1.07 M	
6 ft. x 20 in. / 1.83 m x 51 cm PG. 24	8 ft. x 24 in. / 2.44 m x 61 cm PG. 24	10 ft. x 30 in. / 3.05 m x 76 cm PG. 24	12 ft. x 30 in. / 3.66 m x 76 cm PG. 25	13 ft. x 33 in. / 3.96 m x 84 cm PG. 27 NEW DESIGN	15 ft. x 33 in. / 4.57 m x 84 cm PG. 27 NEW DESIGN	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 27 NEW DESIGN



FEATURES & TECHNOLOGIES


**SELF-SUPPORTING
INFLATABLE TOP RING**



BUILD



**TRITECH[®]
3-LAYER PUNCTURE-
RESISTANT LINER**



CONVENIENCE



Drain Valve



Super Compact
Easy To Transport



No Tools Required
Easy To Assemble



Easy To Store

**PACKAGING
FULL COLOR BOX**



6 FT. X 20 IN. / 1.83 M X 51 CM

WATER CAPACITY (80%): 248 GAL. (940 L)

ITEM #	REGION	PACK	LBS (KG)
57392E	US	4	25.8 (11.7)
57392	Europe	4	25.8 (11.7)

8 FT. X 24 IN. / 2.44 M X 61 CM

WATER CAPACITY (80%): 497 GAL. (1,880 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57447E	US	1	12.2 (5.5)			
57447	North America	1	12.2 (5.5)			
57447	Oceania	1	12.2 (5.5)			
57448	Europe	1	12.2 (5.5)			
57449E	US	1	18.2 (8.3)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57449	N. America / Asia, Africa & Latin America	1	18.0 (8.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57449	Oceania	1	16.7 (7.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57450	Europe	1	18.0 (8.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57450	Asia, Africa & Latin America	1	16.3 (7.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

10 FT. X 30 IN. / 3.05 M X 76 CM

WATER CAPACITY (80%): 1,004 GAL. (3,800 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57307E	US	1	18.1 (8.2)			
57307	North America	1	18.1 (8.2)			
57307	Oceania	1	18.1 (8.2)			
57266	Europe	1	18.1 (8.2)			
57269E	US	1	24.4 (11.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57269	Oceania	1	22.9 (10.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57270	Europe	1	23.9 (10.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57270	Asia, Africa & Latin America	1	22.1 (10.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57269	Asia, Africa & Latin America	1	23.6 (10.7)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I

12 FT. X 30 IN. / 3.66 M X 76 CM
 WATER CAPACITY (80%): 1,421 GAL. (5,377 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57308E	US	1	27.5 (12.5)			
57308	North America	1	27.5 (12.5)			
57308	Oceania	1	27.5 (12.5)			
57273	Europe	1	27.5 (12.5)			
57497E	US	1	36.8 (16.7)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57275	N. America / Asia, Africa & Latin America	1	33.4 (15.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57275	Oceania	1	32.1 (14.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57274	Europe	1	33.1 (15.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57274	Asia, Africa & Latin America	1	31.4 (14.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I



FEATURES & TECHNOLOGIES


SELF-SUPPORTING INFLATABLE TOP RING



BUILD



TRITECH® 3-LAYER PUNCTURE-RESISTANT LINER



CONVENIENCE



Drain Valve



Super Compact
Easy To Transport



No Tools Required.
Easy To Assemble.



Easy To Store

PACKAGING FULL COLOR BOX



Bestway
Fast-Set™



NEW DESIGN

13 FT. X 33 IN. / 3.96 M X 84 CM

WATER CAPACITY (80%): 1,939 GAL. (7,340 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57375E	US	1	43.0 (19.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	N. America / Asia, Africa & Latin America	1	42.8 (19.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	Oceania	1	41.4 (18.8)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Europe	1	41.4 (18.8)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Asia, Africa & Latin America	1	40.7 (18.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

NEW DESIGN

15 FT. X 33 IN. / 4.57 M X 84 CM

WATER CAPACITY (80%): 2,556 GAL. (9,677 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57315E	US	1	54.6 (24.8)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	N. America / Asia, Africa & Latin America	1	54.8 (24.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	Oceania	1	53.2 (24.1)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Europe	1	53.3 (24.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Asia, Africa & Latin America	1	52.6 (23.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

NEW DESIGN

15 FT. X 42 IN. / 4.57 M X 1.07 M

WATER CAPACITY (80%): 3,266 GAL. (12,362 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
57371E	US	1	79.1 (35.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	N. America / Asia, Africa & Latin America	1	78.9 (35.8)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	Oceania	1	77.7 (35.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
57372	Europe	1	80.6 (36.6)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
57372	Asia, Africa & Latin America	1	76.6 (34.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335

NEW PACKAGING


The updated **Steel Pro® + Steel Pro MAX™** packaging features an enhanced and streamlined design that focuses on product durability and benefits.

With the consolidation of Power Steel™ into Steel Pro MAX™, this will provide the consumer a better understanding of the product tiers Bestway® offers.

Our new approach combines clean, modern design and content-rich information with the consumers needs top of mind.

ICONS & CALLOUTS

Specialty icons were created for Frame Pool packaging needs, including but not limited to Package Contents and Easy Setup.



PREVIOUS BRANDING

PRODUCT NAME

Placement of the product name moved to the top for better brand recognition

LARGE PRODUCT IMAGE

Enhanced sizing and removed background elements to give better focus to product

CLEAR VISUAL HIERARCHY OF FEATURES

Provides visual ease of product features as well as supporting benefit copy



QR CODE

Newly added to direct consumer to product information page on Bestway website

LARGER, BOLDER POOL SIZING

Updated placement and readability of the pool size for better consistency across all pool lines

ENHANCED FEATURE CALLOUTS

Product features repeated on side panel with additional supporting copy for better understandability of benefits

UPDATED BRANDING

STEEL PRO®

ABOUT


Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.

HIGHLIGHTS



FRAMELINK™ JOINTS CORROSION PREVENTION

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



FROSTED FINISH

The specialty finish on the pool frame prevents the liner from sticking to the steel supports, especially when it's hot outside.

PRODUCT MATRIX

17 IN. / 43 CM	24 - 26 IN. / 61 - 66 CM			32 IN. / 81 CM
7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm PG. 32	8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm PG. 32	9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm PG. 32	12 ft. x 6 ft. 7 in. x 26 in. / 3.66 m x 2.01 m x 66 cm PG. 34	13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm PG. 33




FEATURES & TECHNOLOGIES

FRAMELINK™ JOINTS CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant
Steel Frame



No Tools Required
Easy To Assemble

PACKAGING FULL COLOR BOX



7 FT. 3 IN. X 59 IN. X 17 IN. / 2.21 M X 1.50 M X 43 CM

WATER CAPACITY (90%): 317 GAL. (1,200 L)

ITEM #	REGION	PACK	LBS (KG)
56545E	US	1	21.3 (9.6)
56545	North America	1	21.3 (9.6)
56545	Oceania	1	21.3 (9.6)
56401	Europe / Asia, Africa & Latin America	1	21.2 (9.6)

8 FT. 6 IN. X 67 IN. X 24 IN. / 2.59 M X 1.70 M X 61 CM

WATER CAPACITY (90%): 608 GAL. (2,300 L)

ITEM #	REGION	PACK	LBS (KG)
56496E	US	1	29.7 (13.5)
56496	North America	1	29.7 (13.5)
56496	Oceania	1	29.7 (13.5)
56403	Europe / Asia, Africa & Latin America	1	29.7 (13.5)

9 FT. 10 IN. X 6 FT. 7 IN. X 26 IN. / 3.00 M X 2.01 M X 66 CM

WATER CAPACITY (90%): 872 GAL. (3,300 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56498E	US	1	37.4 (17.0)			
56498	North America	1	37.4 (17.0)			
56498	Oceania	1	37.4 (17.0)			
56404	Europe / Asia, Africa & Latin America	1	37.4 (17.0)			
56412E	US	1	44.4 (20.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	N. America / Asia, Africa & Latin America	1	43.5 (19.7)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	Oceania	1	43.5 (19.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Europe	1	44.0 (19.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Asia, Africa & Latin America	1	41.8 (19.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

13 FT. 1 IN. X 6 FT. 11 IN. X 32 IN. / 4.00 M X 2.11 M X 81 CM

WATER CAPACITY (90%): 1,506 GAL. (5,700 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56512E	US	1	61.9 (28.1)			
56512	North America	1	61.9 (28.1)			
56512	Oceania	1	61.9 (28.1)			
56405	Europe / Asia, Africa & Latin America	1	61.9 (28.1)			
56425E	US	1	67.0 (30.4)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	N. America / Asia, Africa & Latin America	1	65.8 (29.9)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	Oceania	1	65.8 (29.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Europe	1	67.5 (30.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Asia, Africa & Latin America	1	65.1 (29.5)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I



FEATURES & TECHNOLOGIES

FRAMELINK™ JOINTS CORROSION PREVENTION



BUILD




Pattern



Inner Liner



Hardware



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



No Tools Required
Easy To Assemble

PACKAGING FULL COLOR BOX



12 FT. X 6 FT. 7 IN. X 26 IN. / 3.66 M X 2.01 M X 66 CM
WATER CAPACITY (90%): 1,056 GAL. (4,000 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
561FSE	US	1	49.6 (22.5)			
561FS	North America	1	49.6 (22.5)			
561FS	Oceania	1	49.6 (22.5)			
561FT	Europe / Asia, Africa & Latin America	1	49.6 (22.5)			
561FUE	US	1	54.9 (24.9)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
561FU	N. America / Asia, Africa & Latin America	1	53.6 (24.3)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
561FU	Oceania	1	53.6 (24.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
561FV	Europe	1	55.2 (25.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
561FV	Asia, Africa & Latin America	1	53.0 (24.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I





Bestway
STEEL PRO

STEEL PRO MAX™

ABOUT

The Steel Pro MAX above ground pool is designed with durability, strength and family fun in mind. Built with enhanced materials, these pools will last for years to come.

HIGHLIGHTS




FRAMELINK™ AND CLICKCONNECT™ JOINTS CORROSION PREVENTION

Simple to set up, the connection systems ensure remarkable strength and durable frame connection all with a protective coating that prevents damage.



The ClickConnect System also features quick-click technology that expedites the set-up process.

All 12 ft. / 3.66 m diameter and under pools are built with FrameLink, while larger pools are built with ClickConnect.



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.




FROSTED FINISH

The specialty finish on the pool frame prevents the liner from sticking to the steel supports, especially when it's hot outside.

PRODUCT MATRIX

ROUND POOLS															
10 ft. x 30 in. / 3.05 m x 76 cm PG. 38 NEW GEN.	12 ft. x 30 in. / 3.66 m x 76 cm PG. 38 NEW GEN.	12 ft. x 39.5 in. / 3.66 m x 1.00 m PG. 38 NEW GEN.	12 ft. x 48 in. / 3.66 m x 1.22 m PG. 38 NEW GEN.	13 ft. x 42 in. / 3.96 m x 1.07 m PG. 40	13 ft. x 48 in. / 3.96 m x 1.22 m PG. 43	14 ft. x 33 in. / 4.27 m x 84 cm PG. 43	14 ft. x 42 in. / 4.27 m x 1.07 m PG. 43	14 ft. x 48 in. / 4.27 m x 1.22 m PG. 43	14 ft. x 42 in. / 4.27 m x 1.07 m PG. 44 NEW	16 ft. x 48 in. / 4.88 m x 1.22 m PG. 44 NEW GEN.	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 46	15 ft. x 48 in. / 4.57 m x 1.22 m PG. 49	16 ft. x 48 in. / 4.88 m x 1.22 m PG. 49	18 ft. x 48 in. / 5.49 m x 1.22 m PG. 49	
RECTANGULAR POOLS								OVAL POOLS							
9 ft. 3 in. x 6 ft. 5 in. x 33 in. / 2.82 m x 1.96 m x 84 cm PG. 50 NEW GEN.	13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. / 4.04 m x 2.01 m x 1.00 m PG. 50 NEW GEN.	16 ft. x 8 ft. x 48 in. / 4.88 m x 2.44 m x 1.22 m PG. 50 NEW GEN.	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 50 NEW GEN.	10 ft. x 6 ft. 7 in. x 33 in. / 3.05 m x 2.00 m x 84 cm PG. 52 NEW GEN.	14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m PG. 52 NEW GEN.	16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m PG. 52 NEW GEN.	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 52 NEW GEN.	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 55 NEW GEN.	14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m PG. 57 NEW GEN.	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 57 NEW GEN.	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 58 NEW GEN.				



Bestway
STEEL PRO MAX™

FEATURES & TECHNOLOGIES


FRAMELINK™ JOINTS CORROSION PREVENTION




BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



PACKAGING FULL COLOR BOX & STURDY CARDBOARD BOX WITH PICTURES



NEW GEN.

10 FT. X 30 IN. / 3.05 M X 76 CM

WATER CAPACITY (90%): 1,236 GAL. (4,678 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56493E	US	1	38.9 (17.6)			
56493	North America	1	38.9 (17.6)			
56493	Oceania	1	38.9 (17.6)			
56406	Europe	1	38.8 (17.6)			
56407E	US	1	44.4 (20.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56407	N. America / Asia, Africa & Latin America	1	44.4 (20.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56407	Oceania	1	44.4 (20.1)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56408	Europe	1	43.5 (19.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56408	Asia, Africa & Latin America	1	42.4 (19.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

NEW GEN.

12 FT. X 30 IN. / 3.66 M X 76 CM

WATER CAPACITY (90%): 1,710 GAL. (6,473 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
561GFE	US	1	56.6 (25.7)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56417	N. America / Asia, Africa & Latin America	1	54.6 (24.8)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56417	Oceania	1	54.6 (24.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56416	Europe	1	53.8 (24.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56416	Asia, Africa & Latin America	1	52.8 (23.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

NEW GEN.

12 FT. X 39.5 IN. / 3.66 M X 1.00 M

WATER CAPACITY (90%): 2,417 GAL. (9,150 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56419	N. America / Asia, Africa & Latin America	1	65.9 (29.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	
56419	Oceania	1	64.8 (29.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	
56418	Europe	1	83.5 (37.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
56418	Asia, Africa & Latin America	1	82.0 (37.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
56260	Asia, Africa & Latin America	1	63.9 (29.0)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	


NEW GEN.

12 FT. X 48 IN. / 3.66 M X 1.22 M

WATER CAPACITY (90%): 2,708 GAL. (10,250 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56421	N. America / Asia, Africa & Latin America	1	104.8 (47.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58037	58336
56421	Oceania	1	104.8 (47.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58336
56420	Europe	1	108.7 (49.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58331
56420	Asia, Africa & Latin America	1	103.1 (46.8)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58336



FEATURES & TECHNOLOGIES


CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING
STURDY CARDBOARD BOX WITH PICTURES



13 FT. X 42 IN. / 3.96 M X 1.07 M
WATER CAPACITY (90%): 2,941 GAL. (11,133 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CANOPY
561FXE	US	1	113.3 (51.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58292	58335	-
561FX	Oceania	1	111.7 (50.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58292	58335	-
561FY	Europe	1	114.8 (52.1)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58292	58330	-
561FY	Asia, Africa & Latin America	1	110.9 (50.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58292	58335	-
561FX	Asia, Africa & Latin America	1	110.9 (50.3)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58292	58335	-



Bestway
STEEL PRO MAX



FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD



Color





Inner Liner



Hardware



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING
FULL COLOR BOX &
STURDY CARDBOARD
BOX WITH PICTURES





13 FT. X 48 IN. / 3.96 M X 1.22 M
 WATER CAPACITY (90%): 3,352 GAL. (12,690 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5618UE	US	1	125.6 (57.0)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58292	58336
5618V	N. America / Asia, Africa & Latin America	1	123.4 (56.0)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58292	58336
5618V	Oceania	1	123.4 (56.0)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58292	58336
5618W	Europe	1	129.3 (58.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58292	58331
5618W	Asia, Africa & Latin America	1	123.0 (55.8)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58292	58336

14 FT. X 33 IN. / 4.27 M X 84 CM
 WATER CAPACITY (90%): 2,700 GAL. (10,220 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56597E	US	1	81.3 (36.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56597	N. America / Asia, Africa & Latin America	1	81.1 (36.8)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56597	Oceania	1	81.1 (36.8)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
56595	Europe	1	79.4 (36.0)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
56595	Asia, Africa & Latin America	1	79.1 (35.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

14 FT. X 42 IN. / 4.27 M X 1.07 M
 WATER CAPACITY (90%): 3,440 GAL. (13,030 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56948E	US	1	117.1 (53.1)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58335
56949	N. America / Asia, Africa & Latin America	1	115.0 (52.1)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58335
56949	Oceania	1	115.0 (52.1)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335
56950	Europe	1	118.3 (53.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58330
56950	Asia, Africa & Latin America	1	114.4 (51.9)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335

14 FT. X 48 IN. / 4.27 M X 1.22 M
 WATER CAPACITY (90%): 4,024 GAL. (15,232 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5613HE	US	1	130.9 (59.4)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58336
5612Y	N. America / Asia, Africa & Latin America	1	129.0 (58.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58336
5612Y	Oceania	1	129.0 (58.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336
5612X	Europe	1	133.8 (60.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58331
5612X	Asia, Africa & Latin America	1	128.3 (58.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336

FEATURES & TECHNOLOGIES


CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING
STURDY CARDBOARD BOX WITH PICTURES



NEW

2 SPLASHVIEW™ WINDOWS

14 FT. X 42 IN. / 4.27 M X 1.07 M

WATER CAPACITY (90%): 3,440 GAL. (13,030 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561JNE	US	1	123.9 (56.2)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58335
561JK	N. America / Asia, Africa & Latin America	1	122.2 (55.4)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58335
561JK	Oceania	1	122.2 (55.4)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335
561JM	Europe	1	125.7 (57.0)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58330
561JM	Asia, Africa & Latin America	1	121.4 (55.1)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335

NEW GEN.

4 SPLASHVIEW™ WINDOWS

16 FT. X 48 IN. / 4.88 M X 1.22 M

WATER CAPACITY (90%): 5,145 GAL. (19,480 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56726E	US	1	166.3 (75.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336
56726	N. America / Asia, Africa & Latin America	1	166.3 (75.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336
56726	Oceania	1	166.3 (75.4)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336
56725	Europe	1	172.6 (78.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58331
56725	Asia, Africa & Latin America	1	166.6 (75.6)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336



Bestway
STEEL PRO MAX



Bestway STEEL PRO MAX™

SPLASHVIEW™

Built-in, watertight windows bring function and fun to our line of Steel Pro MAX™ Splashview™ pools. Kids can smile and wave as they pass by, and parents can keep an eye on them even when they're underwater!



FEATURES & TECHNOLOGIES


CLICKCONNECT™ JOINTS CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



PACKAGING STURDY CARDBOARD BOX WITH PICTURES



15 FT. X 42 IN. / 4.57 M X 1.07 M
WATER CAPACITY (90%): 3,955 GAL. (14,970 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	LED LIGHT
5616BE	US	1	128.4 (58.2)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58335	-
5616C	N. America / Asia, Africa & Latin America	1	126.2 (57.3)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58335	-
5616C	Oceania	1	126.2 (57.3)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	-
5616D	Europe	1	130.2 (59.1)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58330	-
5616D	Asia, Africa & Latin America	1	125.5 (56.9)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	-



Bestway
STEEL PRO MAX



BACKYARD AMBIANCE AT THE TOUCH OF A BUTTON LED LIGHT WITH REMOTE CONTROL

7 Colors | 8 Modes | 3 Speeds | 5 Brightness Levels



FEATURES & TECHNOLOGIES


CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING
STURDY CARDBOARD BOX WITH PICTURES





15 FT. X 48 IN. / 4.57 M X 1.22 M

WATER CAPACITY (90%): 4,231 GAL. (16,015 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56690E	US	1	138.9 (63.0)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58336
56439	N. America / Asia, Africa & Latin America	1	136.7 (62.0)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58336
56439	Oceania	1	136.7 (62.0)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336
56438	Europe	1	142.2 (64.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58331
56438	Asia, Africa & Latin America	1	136.0 (61.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336

16 FT. X 48 IN. / 4.88 M X 1.22 M

WATER CAPACITY (90%): 5,145 GAL. (19,480 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5613AE	US	1	153.9 (69.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336
5613A	N. America / Asia, Africa & Latin America	1	153.6 (69.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336
5613A	Oceania	1	153.6 (69.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336
5612Z	Europe	1	160.5 (72.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58331
5612Z	Asia, Africa & Latin America	1	153.2 (69.5)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336

18 FT. X 48 IN. / 5.49 M X 1.22 M

WATER CAPACITY (90%): 6,092 GAL. (23,062 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56463E	US	1	172.1 (78.0)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336
56463	N. America / Asia, Africa & Latin America	1	171.8 (77.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336
56463	Oceania	1	171.8 (77.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336
56462	Europe	1	178.1 (80.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58331
56462	Asia, Africa & Latin America	1	171.4 (77.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336

FEATURES & TECHNOLOGIES

CLICKCONNECT™
JOINTS
CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant
Steel Frame



C-Connector



No Tools Required
Easy To Assemble

PACKAGING
STURDY CARDBOARD
BOX WITH PICTURES



NEW GEN.

**9 FT. 3 IN. X 6 FT. 5 IN. X 33 IN. /
2.82 M X 1.96 M X 84 CM**

WATER CAPACITY (90%): 967 GAL. (3,662 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56631E	US	1	88.1 (39.9)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56631	N. America / Asia, Africa & Latin America	1	87.8 (39.8)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56631	Oceania	1	87.8 (39.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56629	Europe	1	87.0 (39.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56629	Asia, Africa & Latin America	1	86.3 (39.1)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

NEW GEN.

**13 FT. 3 IN. X 6 FT. 7 IN. X 39.5 IN. /
4.04 M X 2.01 M X 1.00 M**

WATER CAPACITY (90%): 1,711 GAL. (6,478 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56441	Europe	1	135.6 (61.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
56441	Asia, Africa & Latin America	1	132.0 (59.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335

NEW GEN.

**16 FT. X 8 FT. X 48 IN. /
4.88 M X 2.44 M X 1.22 M**

WATER CAPACITY (90%): 3,046 GAL. (11,532 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56672	N. America / Asia, Africa & Latin America	1	204.0 (92.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	-	58336
56672	Oceania	1	204.0 (92.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58336
56670	Europe	1	208.7 (94.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58331
56670	Asia, Africa & Latin America	1	202.8 (92.0)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58336


NEW GEN.

**18 FT. X 9 FT. X 48 IN. /
5.49 M X 2.74 M X 1.22 M**

WATER CAPACITY (90%): 3,913 GAL. (14,812 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56536E	US	1	225.5 (102.3)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336
56467	N. America / Asia, Africa & Latin America	1	225.2 (102.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336
56467	Oceania	1	225.2 (102.2)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336
56465	Europe	1	230.2 (104.4)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58331
56465	Asia, Africa & Latin America	1	224.9 (102.0)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336




FEATURES & TECHNOLOGIES


CLICKCONNECT™ JOINTS CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



PACKAGING FULL COLOR BOX & STURDY CARDBOARD BOX WITH PICTURES



NEW GEN.

10 FT. X 6 FT. 7 IN. X 33 IN. / 3.05 M X 2.00 M X 84 CM

WATER CAPACITY (90%): 969 GAL. (3,668 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
5613ZE	US	1	69.4 (31.5)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
5613Z	N. America / Asia, Africa & Latin America	1	69.2 (31.4)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
5613Z	Oceania	1	69.2 (31.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
5614A	Europe	1	69.7 (31.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
5614A	Asia, Africa & Latin America	1	69.7 (31.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

NEW GEN.

14 FT. X 8 FT. 2 IN. X 39.5 IN. / 4.27 M X 2.50 M X 1.00 M

WATER CAPACITY (90%): 1,915 GAL. (7,250 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56622E	US	1	112.9 (51.2)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
56622	N. America / Asia, Africa & Latin America	1	111.3 (50.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
56622	Oceania	1	111.3 (50.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
56620	Europe	1	113.4 (51.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
56620	Asia, Africa & Latin America	1	110.6 (50.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335

NEW GEN.

16 FT. X 10 FT. X 42 IN. / 4.88 M X 3.05 M X 1.07 M

WATER CAPACITY (90%): 2,893 GAL. (10,949 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56655E	US	1	149.2 (67.7)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	-	58335
56450	N. America / Asia, Africa & Latin America	1	146.6 (66.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	-	58335
56450	Oceania	1	146.6 (66.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58335
56448	Europe	1	148.2 (67.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58330
56448	Asia, Africa & Latin America	1	145.9 (66.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58335

NEW GEN.

18 FT. X 9 FT. X 48 IN. / 5.49 M X 2.74 M X 1.22 M

WATER CAPACITY (90%): 3,548 GAL. (13,430 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56711E	US	1	187.9 (85.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336
56711	N. America / Asia, Africa & Latin America	1	186.8 (84.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336
56711	Oceania	1	186.8 (84.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336
56710	Europe	1	193.3 (87.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58331
56710	Asia, Africa & Latin America	1	187.0 (84.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336




FEATURES & TECHNOLOGIES


CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame




3-Ply PVC Wall Support Band



T-Connector

PACKAGING
STURDY CARDBOARD BOX WITH PICTURES





**NEW
GEN.**

20 FT. X 12 FT. X 48 IN. / 6.10 M X 3.66 M X 1.22 M

WATER CAPACITY (90%): 5,347 GAL. (20,241 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5611SE	US	1	212.4 (96.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336
5611S	N. America / Asia, Africa & Latin America	1	211.4 (95.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336
5611S	Oceania	1	211.4 (95.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336
5611R	Europe	1	217.6 (98.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58331
5611R	Asia, Africa & Latin America	1	211.9 (96.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336



FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD




Pattern



Inner Liner



Hardware



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



T-Connector

PACKAGING
STURDY CARDBOARD BOX WITH PICTURES





NEW GEN.

2 SPLASHVIEW™ WINDOWS

14 FT. X 8 FT. 2 IN. X 39.5 IN. / 4.27 M X 2.50 M X 1.00 M

WATER CAPACITY (90%): 1,915 GAL. (7,250 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56715E	US	1	121.2 (55.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335
56715	N. America / Asia, Africa & Latin America	1	119.6 (54.2)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335
56715	Oceania	1	119.6 (54.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58335
56714	Europe	1	121.8 (55.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58330
56714	Asia, Africa & Latin America	1	118.7 (53.8)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58335

NEW GEN.

4 SPLASHVIEW™ WINDOWS

18 FT. X 9 FT. X 48 IN. / 5.49 M X 2.74 M X 1.22 M

WATER CAPACITY (90%): 3,548 GAL. (13,430 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56717E	US	1	197.7 (89.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	.	58336
56717	N. America / Asia, Africa & Latin America	1	196.7 (89.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	.	58336
56717	Oceania	1	196.7 (89.2)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	.	58336
56716	Europe	1	202.9 (92.0)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	.	58331
56716	Asia, Africa & Latin America	1	196.9 (89.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	.	58336



FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH **MULTI-COLORED LED LIGHT**



CONVENIENCE



PACKAGING
STURDY CARDBOARD BOX WITH PICTURES




NEW GEN.

2 COMFORT JET™ MASSAGE NOZZLES
20 FT. X 12 FT. X 48 IN. / 6.10 M X 3.66 M X 1.22 M
WATER CAPACITY (90%): 5,347 GAL. (20,241 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	LED LIGHT
56720E	US	1	219.2 (99.4)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	58336	-
56720	N. America / Asia, Africa & Latin America	1	218.2 (99.0)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	58336	-
56720	Oceania	1	218.2 (99.0)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58336	-
56719	Europe	1	224.8 (102.0)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58331	-
56719	Asia, Africa & Latin America	1	219.8 (99.7)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58336	-





BUILT-IN SPA JETS!

Two built-in massage nozzles produce concentrated water jet streams for a soothing massage.

NEW BRANDING

The new **APX 365™** pool sets are innovative, year-round options brought to you by the pool durability experts. With a name inspired by an apex, meaning “the highest point,” these frame pools are top-of-the-line in strength, durability and reliability.

APX 365 pools are built with Polar-Shield™ protection, groundbreaking weather defense technology that allows the pool to stay up all year long without damage to the frame or liner. With the addition of galvanized steel and Polysphere™ filtration, these pools are the first of their kind on the market!

ICONS & CALLOUTS

Specialty icons were created for Frame Pool packaging needs, including but not limited to Package Contents, Easy Setup, Polar-Shield, and Year-Round Use.



WARRANTY ICON

Prominent placing on top of package

POLAR-SHIELD™ ICON

Located at the top left of hero image to enhance understanding of the pools year-round usage

LARGE PRODUCT IMAGE

Enhanced sizing and removed background elements to give better focus to product

CLEAR VISUAL HIERARCHY OF FEATURES

Provides visual ease of product features as well as supporting benefit copy



QR CODE

Newly added to direct consumer to product information page on Bestway website

LARGER, BOLDER POOL SIZING

Updated placement and readability of the pool size for better consistency across all pool lines

ENHANCED FEATURE CALLOUTS

Product features repeated on side panel with additional supporting copy for better understandability of benefits

APX 365™

ABOUT


APX 365 leads the frame pool market in durability, strength and functionality. Built with Polar-Shield™ protection, groundbreaking weather defense technology, these pools can stay up all year long without damage to the frame or liner.

HIGHLIGHTS



POLAR-SHIELD™ PROTECTION YEAR-ROUND WEATHER DEFENSE

The first of its kind in the above ground pool market, Polar-Shield™ weather defense technology means no off-season storage needed! Polar-Shield protects the liner against outdoor elements, even in chillier temperatures.




GALVANIZED STEEL FORTIFIED CORROSION-RESISTANCE FOR LONGER LIFESPAN

The galvanized steel frame is coated in a layer of zinc for fortified corrosion-resistance. The unparalleled durability, strength and stability results in a longer lifespan for the pool frame.



CLICKCONNECT™ JOINTS ANTI-RUST, QUICK-CLICK CONNECTORS

Simple to set up, the ClickConnect™ joints ensure remarkable strength and durable frame connection. They feature a protective coating and galvanized steel insert to prevent damage, accompanied with quick-click technology to expedite the set-up process.



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



OCTAGON-SHAPED POLES

For APX 365 Round Pools Only

The galvanized steel frame is constructed in an octagon shape, rather than an oval. This shape is proven to prevent bending and structural damage during use.

PRODUCT MATRIX

52 IN. / 1.32 M

18 ft. x 52 in. /
5.49 m x 1.32 m
PG. 64

20 ft. x 52 in. /
6.10 m x 1.32 m
PG. 64

22 ft. x 52 in. /
6.71 m x 1.32 m
PG. 64

18 ft. x 9 ft. x 52 in. /
5.49 m x 2.74 m x 1.32 m
PG. 66

24 ft. x 12 ft. x 52 in. /
7.32 m x 3.66 m x 1.32 m
PG. 66

31 ft. 4 in. x 16 ft. x 52 in. /
9.56 m x 4.88 m x 1.32 m
PG. 66





FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS CORROSION PREVENTION



BUILD



POLAR-SHIELD™



GALVANIZED STEEL FRAME



TRITECH®



CONVENIENCE



Drain Valve



Corrosion-Resistant Galvanized Steel



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING STURDY CARDBOARD BOX WITH PICTURES



NEW

18 FT. X 52 IN. / 5.49 M X 1.32 M

WATER CAPACITY (90%): 6,869 GAL. (26,000 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561KBE	US	1	255.7 (116.0)	58498 (1,600 gal./6,056 L)	110-120 V	Polysphere™ Pool Filtration Balls	58039	58337
561KB	N. America / Asia, Africa & Latin America	1	254.4 (115.4)	58498 (1,600 gal./6,056 L)	110-120 V	Polysphere™ Pool Filtration Balls	58039	58337
561KB	Oceania	1	254.4 (115.4)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	58039	58337
561KC	Europe	1	263.4 (119.5)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	58039	58332
561KC	Asia, Africa & Latin America	1	255.8 (116.0)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	58039	58337

NEW

20 FT. X 52 IN. / 6.10 M X 1.32 M

WATER CAPACITY (90%): 8,781 GAL. (33,240 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561KDE	US	1	292.3 (132.6)	58500 (2,200 gal./8,327 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561KD	N. America / Asia, Africa & Latin America	1	290.5 (131.8)	58500 (2,200 gal./8,327 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561KD	Oceania	1	290.5 (131.8)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337
561KE	Europe	1	299.1 (135.7)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58332
561KE	Asia, Africa & Latin America	1	291.3 (132.1)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337

NEW

22 FT. X 52 IN. / 6.71 M X 1.32 M

WATER CAPACITY (90%): 10,668 GAL. (40,377 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561JYE	US	1	317.7 (144.1)	58500 (2,200 gal./8,327 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561JY	N. America / Asia, Africa & Latin America	1	316.6 (143.6)	58500 (2,200 gal./8,327 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561JY	Oceania	1	316.6 (143.6)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337
561JZ	Europe	1	324.7 (147.3)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58332
561JZ	Asia, Africa & Latin America	1	316.5 (143.6)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337





FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD



POLAR-SHIELD™



GALVANIZED STEEL FRAME



TRITECH®



CONVENIENCE



Drain Valve



Corrosion-Resistant Galvanized Steel



C-Connector



No Tools Required
Easy To Assemble

PACKAGING
STURDY CARDBOARD BOX WITH PICTURES



NEW

18 FT. X 9 FT. X 52 IN. / 5.49 M X 2.74 M X 1.32 M

WATER CAPACITY (90%): 4,352 GAL. (16,477 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561MFE	US	1	266.4 (120.9)	58498 (1,600 gal./6,056 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561MF	N. America / Asia, Africa & Latin America	1	266.2 (120.8)	58498 (1,600 gal./6,056 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561MF	Oceania	1	266.2 (120.8)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337
561KA	Europe	1	274.6 (124.6)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58332
561KA	Asia, Africa & Latin America	1	266.1 (120.7)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337

NEW

24 FT. X 12 FT. X 52 IN. / 7.32 M X 3.66 M X 1.32 M

WATER CAPACITY (90%): 7,937 GAL. (30,045 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561KHE	US	1 Ea., 2 boxes	379.3 (172.1)	58498 (1,600 gal./6,056 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561KH	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	379.0 (171.9)	58498 (1,600 gal./6,056 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561KH	Oceania	1 Ea., 2 boxes	379.0 (171.9)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337
561KG	Europe	1 Ea., 2 boxes	383.7 (174.1)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58332
561KG	Asia, Africa & Latin America	1 Ea., 2 boxes	380.2 (172.5)	58497 (1,600 gal./6,056 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337

NEW

31 FT. 4 IN. X 16 FT. X 52 IN. / 9.56 M X 4.88 M X 1.32 M

WATER CAPACITY (90%): 13,798 GAL. (52,231 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561KKE	US	1 Ea., 2 boxes	513.8 (233.1)	58500 (2,200 gal./8,327 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561KK	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	513.6 (233.0)	58500 (2,200 gal./8,327 L)	110-120 V	Polysphere™ Pool Filtration Balls	-	58337
561KK	Oceania	1 Ea., 2 boxes	513.6 (233.0)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337
561KJ	Europe	1 Ea., 2 boxes	517.0 (234.5)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58332
561KJ	Asia, Africa & Latin America	1 Ea., 2 boxes	513.6 (233.0)	58499 (2,200 gal./8,327 L)	220-240 V	Polysphere™ Pool Filtration Balls	-	58337





HYDRIUM™

ABOUT

This top-tier pool line features enhanced durability, quality and longevity. With superior galvanized steel construction, these pools can withstand the elements all year long, so they can even be used as a more fixed landscaping feature.

HIGHLIGHTS



GALVANIZED STEEL SIDEWALLS & FRAME SUPPORT

The tough, steel structure of a Hydrium pool provides unparalleled durability and damage-resistance.



INTEGRATED SURFACE SKIMMER









These built-in skimmers help keep your pool clean and free of debris.



YEAR-ROUND PROTECTION

Resistant to damage from scratches, abrasions and cracks 365 days a year, Hydrium pools are perfect to keep in your yard year-round.

PRODUCT MATRIX

48 IN. / 1.22 M					52 IN. / 1.32 M		
10 ft. x 48 in. / 3.05 m x 1.22 m PG. 70	12 ft. x 48 in. / 3.66 m x 1.22 m PG. 70	15 ft. x 48 in. / 4.57 m x 1.22 m PG. 70	16 ft. 5 in. x 12 ft. x 48 in. 5.00 m x 3.66 m x 1.22 m PG. 72	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 72	16 ft. x 52 in. / 4.88 m x 1.32 m PG. 74	18 ft. x 52 in. / 5.49 m x 1.32 m PG. 74	24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m PG. 74
							



Bestway
HYDRUM

FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION
PROTECTED AGAINST THE ELEMENTS



BUILD



BUILT-IN SKIMMER **CHEMCONNECT® DISPENSER**



CONVENIENCE



PACKAGING
STURDY CARDBOARD BOX WITH PICTURES



10 FT. X 48 IN. / 3.05 M X 1.22 M
WATER CAPACITY (90%): 2,018 GAL. (7,630 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	GROUND CLOTH	LADDER	CHEMCONNECT® DISPENSER
56566	Europe	1	219.8 (99.7)	58515 (950 gal./3,596 L)	220-240 V	Sand Filtration	58291	58001	58331	.

12 FT. X 48 IN. / 3.66 M X 1.22 M
WATER CAPACITY (90%): 2,906 GAL. (10,990 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	GROUND CLOTH	LADDER	CHEMCONNECT® DISPENSER
56575	Oceania	1	249.8 (113.3)	58515 (950 gal./3,596 L)	220-240 V	Sand Filtration	58292	58002	58331	.
56574	Europe	1	249.8 (113.3)	58515 (950 gal./3,596 L)	220-240 V	Sand Filtration	58292	58002	58331	.

15 FT. X 48 IN. / 4.57 M X 1.22 M
WATER CAPACITY (90%): 4,605 GAL. (17,430 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	GROUND CLOTH	LADDER	CHEMCONNECT® DISPENSER
56385E	US	1	307.6 (139.5)	58498 (1,600 gal./6,056 L)	110-120 V	Sand Filtration	58249	58003	58336	.
56385	Oceania	1	312.0 (141.5)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	58249	58003	58331	.
56384	Europe	1	312.0 (141.5)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	58249	58003	58331	.




Bestway
HYDRUM

FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION
PROTECTED AGAINST THE ELEMENTS



BUILD



BUILT-IN SKIMMER CHEMCONNECT® DISPENSER



CONVENIENCE



PACKAGING

STURDY CARDBOARD BOX WITH PICTURES



16 FT. 5 IN. X 12 FT. X 48 IN. / 5.00 M X 3.66 M X 1.22 M
WATER CAPACITY (90%): 4,305 GAL. (16,296 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	GROUND CLOTH	LADDER	CHEMCONNECT® DISPENSER
56587E	US	1	378.2 (171.5)	58516 (950 gal./3,596 L)	110-120 V	Sand Filtration	-	-	58336	-
56587	Oceania	1	382.6 (173.5)	58515 (950 gal./3,596 L)	220-240 V	Sand Filtration	-	-	58331	-
56586	Europe	1	382.6 (173.5)	58515 (950 gal./3,596 L)	220-240 V	Sand Filtration	-	-	58331	-

20 FT. X 12 FT. X 48 IN. / 6.10 M X 3.66 M X 1.22 M
WATER CAPACITY (90%): 5,265 GAL. (19,929 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	GROUND CLOTH	LADDER	CHEMCONNECT® DISPENSER
56370E	US	1	470.0 (213.2)	58498 (1,600 gal./6,056 L)	110-120 V	Sand Filtration	-	-	58336	-
56370	Oceania	1	474.4 (215.2)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	-	-	58331	-
56369	Europe	1	474.4 (215.2)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	-	-	58331	-



Bestway
HYDRUM

FEATURES & TECHNOLOGIES


YEAR-ROUND PROTECTION
PROTECTED AGAINST THE ELEMENTS



BUILD



Pattern Inner Liner Hardware



BUILT-IN SKIMMER CHEMCONNECT® DISPENSER



CONVENIENCE



PACKAGING

STURDY CARDBOARD BOX WITH PICTURES



16 FT. X 52 IN. / 4.88 M X 1.32 M
WATER CAPACITY (90%): 5,678 GAL. (21,490 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	GROUND CLOTH	LADDER	CHEMCONNECT® DISPENSER
561CVE	US	1	439.2 (199.2)	58498 (1,600 gal./6,056 L)	110-120 V	Sand Filtration	58039	-	58337	-
561CV	Oceania	1	443.6 (201.2)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	58039	-	58332	-
561CU	Europe	1	443.6 (201.2)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	58039	-	58332	-

18 FT. X 52 IN. / 5.49 M X 1.32 M
WATER CAPACITY (90%): 7,192 GAL. (27,221 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	GROUND CLOTH	LADDER	CHEMCONNECT® DISPENSER
561CTE	US	1	490.4 (222.4)	58498 (1,600 gal./6,056 L)	110-120 V	Sand Filtration	-	-	58337	-
561CT	Oceania	1	494.8 (224.4)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	-	-	58332	-
561CS	Europe	1	494.8 (224.4)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	-	-	58332	-

24 FT. X 12 FT. X 52 IN. / 7.32 M X 3.66 M X 1.32 M
WATER CAPACITY (90%): 7,157 GAL. (27,090 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	GROUND CLOTH	LADDER	CHEMCONNECT® DISPENSER
561CXE	US	1	658.7 (298.8)	58498 (1,600 gal./6,056 L)	110-120 V	Sand Filtration	-	-	58337	-
561CX	Oceania	1	663.1 (300.8)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	-	-	58332	-
561CW	Europe	1	663.1 (300.8)	58497 (1,600 gal./6,056 L)	220-240 V	Sand Filtration	-	-	58332	-



Bestway
HYDRIMUM



LEVEL UP YOUR

Relaxation



Bestway
APX365

Bestway®

POOL ACCESSORIES

ABOUT

Bestway® offers a wide range of products to help pool-owners maintain and clean their pools, enhance the ambiance of the surrounding area, and enjoy their product for as long as possible.

CATEGORIES



FILTRATION

Bestway cartridge and sand filter pumps come in many different sizes to give each pool-owner the options they need to keep their pools sparkling.



ENVIRONMENT

From lights to fountains, Bestway environment items add personality to the pool area.



MAINTENANCE EQUIPMENT

Bestway's variety of items, from vacuums to skimming nets, help pool-owners maintain crystal clear water by removing floating debris.



POOL COVERS & GROUND CLOTHS

Protect the bottom of the pool and the yard with Bestway items, made specifically for covering the ground beneath the pool.

PLANOGRAM

Actual in-store displays may vary.

U.S. DISPLAY














INTERNATIONAL DISPLAY



POOL PUMP RANGE

ITEM	58511/E	58381	58384/E	58383	58387	58386	58388E	58390/E	58389	58871/E	58770	58392/E	58391
PRODUCT PHOTO													
HOSE SIZE	1.25 in. / 3.2 cm	1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm
ADAPTERS INCLUDED								1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm	
FILTER CARTRIDGE OR SAND GRAIN/ POLYSPHERE™	58093 (I)	58012 (III-A/C)	58094 (II)	58012 (III-A/C)	58094 (II)	58012 (III-A/C)	58012 (III-A/C)	58012 (III-A/C)	58012 (III-A/C)	0.5 lbs (240 g) of Polysphere™ pool filtration balls		58095 (IV-B)	
PUMP FLOW RATE GAL. (L) / HOUR	330 (1,249)	530 (2,006)		800 (3,028)		1,000 (3,785)	1,500 (5,678)	1,500 (5,678)	1,500 (5,678)	1,500 (5,678)	1,500 (5,678)	2,500 (9,463)	
SYSTEM FLOW RATE GAL. (L) / HOUR	280 (1,060)	480 (1,817)		580 (2,195)		780 (2,952)	1,050 (3,974)	1,050 (3,974)	1,050 (3,974)	1,050 (3,974)	1,050 (3,974)	2,050 (7,760)	
POOL COMPATIBILITY	For use with 300-2,200 gal. (1,100-8,300 L) pools	For use with 300-3,800 gal. (1,100-14,300 L) pools		For use with 300-4,600 gal. (1,100-17,400 L) pools		For use with 300-5,100 gal. (1,100-19,300 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools	For use with 300-16,400 gal. (1,100-62,000 L) pools	
RATING	110-120V~, 0.2A	220-240V~, 16W	110-120V~, 0.6A	220-240V~, 29W	110-120V~, 0.6A	220-240V~, 32W	110-120V~, 1.1A	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 3.3A	220-240V~, 350W

58516/E	58515	58515GS	58498/E	58497	58497GS	58500/E	58499	58499GS	58692/E	58486	58486GS		
													
	1.25 in. / 3.2 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm			
				1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. (3.8 / 3.2 cm)			
	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg. Polysphere™ compatible		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg. Polysphere™ compatible		Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 36 kg Polysphere™ compatible	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 20 kg. Polysphere™ compatible		Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 45 kg. Polysphere™ compatible	Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 36 kg. Polysphere™ compatible		Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 55 kg. Polysphere™ compatible		
	950 (3,596)			1,600 (6,056)			2,200 (8,327)			3,000 (11,355)			
	600 (2,271)	550 (2,082)		1,400 (5,300)		1,300 (4,920)		1,800 (6,813)		1,700 (6,435)		2,200 (8,327)	2,000 (7,570)
	For use with 300-4,800 gal. (1,100-18,100 L) pools	For use with 300-4,400 gal. (1,100-16,600 L) pools		For use with 300-11,200 gal. (1,100-42,300 L) pools		For use with 300-10,400 gal. (1,100-39,300 L) pools		For use with 300-14,400 gal. (1,100-54,500 L) pools		For use with 300-13,600 gal. (1,100-51,400 L) pools		For use with 300-17,600 gal. (1,100-66,600 L) pools	For use with 300-16,000 gal. (1,100-60,500 L) pools
110-120V-, 1A	220-240V-, 85W		110-120V-, 3.2A		220-240V-, 230W		110-120V-, 3.5A		220-240V-, 280W		110-120V-, 4.8A		220-240V-, 500W

A LOOK AT THE BUILD OF BESTWAY® FILTERS

SAND FILTER PUMPS

Bestway sand filters are truly a "no fuss" option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.



CARTRIDGE FILTER PUMPS

Leave the dirty work to Bestway filter pumps. Two hoses are included with each pump and are attached at two separate points on the swimming pool. The loose end of one hose is connected to the filter pump. Water is pumped out of the pool and through the hose, before being sanitized by the filter cartridge and pumped back through the other hose. It then begins the process all over again, providing clean, clear and hygienic water.





NEW DESIGN

SAND FILTER - 950 GAL. (3,596 L)

ITEM #	CERTIFICATION	RATING	TANK DIA. IN. (CM)	PACK	LBS (KG)
58515	CE	220-240V~, 85W	10.5 (27)	1	17.1 (7.8)
58515GS	CE/GS	220-240V~, 85W	10.5 (27)	1	18.5 (8.4)
58516	C-ETL	110-120V~, 1A	10.5 (27)	1	17.7 (8.0)
58516E	ETL-US	110-120V~, 1A	10.5 (27)	1	18.0 (8.1)

ITEM #	SAND CAPACITY LBS (KG)	POLYSHERE CAPACITY LBS (G)
58515	18.7 (8.5)	0.53 (240)
58515GS	18.7 (8.5)	0.53 (240)
58516	18.7 (8.5)	0.53 (240)
58516E	18.7 (8.5)	0.53 (240)

Pump Flow Rate: 950 gal./h (3,596 L/h)
 System Flow Rate: 600 gal./h (2,271 L/h)
 System Flow Rate: 550 gal./h (2,082 L/h) (For GS only)
 Pool Compatibility: For use with 300-4,800 gal. (1,100-18,100 L) pools
 Pool Compatibility: For use with 300-4,400 gal. (1,100-16,600 L) pools (For GS only)

- Uses approximately 18.7 lbs (8.5 kg) #20 silica sand, 0.45-0.85 mm or 0.53 lbs (240 g) Polysphere™ Pool Filtration Balls (neither included)
- Durable, corrosion-resistant tank
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Flange clamp with 360° rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Full color box

NEW DESIGN

SAND FILTER - 1,600 GAL. (6,056 L)

ITEM #	CERTIFICATION	RATING	TANK DIA. IN. (CM)	PACK	LBS (KG)
58497	CE	220-240V~, 230W	10 (25.4)	1	25.5 (11.6)
58497GS	CE/GS	220-240V~, 230W	15 (38.5)	1	32.0 (14.5)
58498	C-ETL	110-120V~, 3.2A	10 (25.4)	1	25.8 (11.7)
58498E	ETL-US	110-120V~, 3.2A	10 (25.4)	1	26.0 (11.8)

ITEM #	SAND CAPACITY LBS (KG)	POLYSHERE CAPACITY LBS (G)
58497	19.8 (9.0)	0.55 (250)
58497GS	79.4 (36.0)	2.20 (1,000)
58498	19.8 (9.0)	0.55 (250)
58498E	19.8 (9.0)	0.55 (250)

Pump Flow Rate: 1,600 gal./h (6,056 L/h)
 System Flow Rate: 1,400 gal./h (5,300 L/h)
 System Flow Rate: 1,300 gal./h (4,920 L/h) (For GS only)
 Pool Compatibility: For use with 300-11,200 gal. (1,100-42,300 L) pools
 Pool Compatibility: For use with 300-10,400 gal. (1,100-39,300 L) pools (For GS only)

- Uses approximately 19.8 lbs (9 kg) #20 silica sand, 0.45-0.85 mm or 0.55 lbs (250 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 79.4 lbs (36 kg) #20 silica sand, 0.45-0.85 mm or 2.2 lbs (1 kg) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58497/GS only)
- Flange clamp with 360° degree rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Full color box

NEW DESIGN

SAND FILTER - 2,200 GAL. (8,327 L)

ITEM #	CERTIFICATION	RATING	TANK DIA. IN. (CM)	PACK	LBS (KG)
58499	CE	220-240V~, 280W	12.5 (32)	1	30.1 (13.6)
58499GS	CE/GS	220-240V~, 280W	16.6 (42.2)	1	35.2 (16.0)
58500	C-ETL	110-120V~, 3.5A	12.5 (32)	1	30.4 (13.8)
58500E	ETL-US	110-120V~, 3.5A	12.5 (32)	1	30.6 (13.9)

ITEM #	SAND CAPACITY LBS (KG)	POLYSHERE CAPACITY LBS (G)
58499	44.1 (20.0)	1.23 (560)
58499GS	99.2 (45.0)	2.78 (1,260)
58500	44.1 (20.0)	1.23 (560)
58500E	44.1 (20.0)	1.23 (560)

Pump Flow Rate: 2,200 gal./h (8,327 L/h)
 System Flow Rate: 1,800 gal./h (6,813 L/h)
 System Flow Rate: 1,700 gal./h (6,435 L/h) (For GS only)
 Pool Compatibility: For use with 300-14,400 gal. (1,100-54,500 L) pools
 Pool Compatibility: For use with 300-13,600 gal. (1,100-51,400 L) pools (For GS only)

- Uses approximately 44.1 lbs (20 kg) #20 silica sand, 0.45-0.85 mm or 1.23 lbs (560 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 99.2 lbs (45 kg) #20 silica sand, 0.45-0.85 mm or 2.78 lbs (1,260 g) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58499/GS only)
- Flange clamp with 360° rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Full color box

58486, 58092/E

58486GS



NEW DESIGN

SAND FILTER - 3,000 GAL. (11,355 L)

ITEM #	CERTIFICATION	RATING	TANK DIA. IN. (CM)	PACK	LBS (KG)
58486	CE	220-240V~, 500W	15 (38.5)	1	36.8 (16.7)
58486GS	CE/GS	220-240V~, 500W	19 (48.5)	1	43.9 (19.9)
58692	C-ETL	110-120V~, 4.8A	15 (38.5)	1	36.6 (16.6)
58692E	ETL-US	110-120V~, 4.8A	15 (38.5)	1	36.8 (16.7)

ITEM #	SAND CAPACITY LBS (KG)	POLYSHERE CAPACITY LBS (G)
58486	79.4 (36.0)	2.20 (1,000)
58486GS	121.3 (55.0)	3.40 (1,540)
58692	79.4 (36.0)	2.20 (1,000)
58692E	79.4 (36.0)	2.20 (1,000)

Pump Flow Rate: 3,000 gal./h (11,355 L/h)

System Flow Rate: 2,200 gal./h (8,327 L/h)

System Flow Rate: 2,000 gal./h (7,570 L/h) (For GS only)

Pool Compatibility: For use with 300-17,600 gal. (1,100-66,600 L) pools

Pool Compatibility: For use with 300-16,000 gal. (1,100-60,500 L) pools (For GS only)

- Uses approximately 79.4 lbs (36 kg) #20 silica sand, 0.45-0.85 mm or 2.20 lbs (1,000 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 121.3 lbs (55 kg) #20 silica sand, 0.45-0.85 mm or 3.40 lbs (1,540 g) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58486/GS only)
- Flange clamp with 360 degree rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Full color box



POLYSHERE™ POOL FILTRATION BALLS

ITEM #	PACK	LBS (KG)	PACKAGING
58475/E	6	12.1 (5.5)	Full Color Box
30014/E	1	27.4 (12.4) 26.6 (12.1)	Display Shelf

- Compatible with most sand filter pumps
- Reusable sand replacement - 0.06 lbs (28 g) of filtration balls = 2.2 lbs (1 kg) of sand
- Hand-wash only with included mesh bag
- Made with recyclable & non-toxic material
- Lower pressure allows for higher flow rate & longer lifespan
- Lightweight & easy to transport
- Not compatible with sand filter backwashing function
- Each box of 58475/E contains 1.1 lbs (500 g) Polysphere™ filtration balls



58475

58475E

SAND FILTER	REGION	WEIGHT IF USING SAND, LBS (KG)	WEIGHT IF USING POLYSHERE, LBS (G)
950 gal. /h (3,596 L/h)	All	18.74 (8.5)	0.53 (240)
1,600 gal. /h (6,056 L/h)	Except GS	19.84 (9)	0.55 (250)
1,600 gal. /h (6,056 L/h)	GS	79.37 (36)	2.20 (1,000)
2,200 gal. /h (8,327 L/h)	Except GS	44.09 (20)	1.23 (560)
2,200 gal. /h (8,327 L/h)	GS	99.21 (45)	2.78 (1,260)
3,000 gal. /h (11,355 L/h)	Except GS	79.37 (36)	2.20 (1,000)
3,000 gal. /h (11,355 L/h)	GS	121.25 (55)	3.40 (1,540)



12 Ea. Included



POLYSHERE™ FILTER PUMP



ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	POLYSHERE CAPACITY LBS (G)
58871E	1,500 (5,678)	1,050 (3,974)		ETL-US	110-120V~, 1.8A	1	16.4 (7.5)	0.5 (240)
58871	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	C-ETL	110-120V~, 1.8A	1	16.1 (7.3)	0.5 (240)
58870	1,500 (5,678)	1,050 (3,974)		CE	220-240V~, 86W	1	16.1 (7.3)	0.5 (240)

**POLYSHERE™
POOL FILTRATION
BALLS INCLUDED**

FILTER PUMP - 330 GAL. (1,249 L)




ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58511E	330 (1,249)	280 (1,060)		ETL-US	110-120V~, 0.2A	4	25.0 (11.3)	58093 - Type I
58511	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	C-ETL	110-120V~, 0.2A	4	24.7 (11.2)	58093 - Type I
58381	330 (1,249)	280 (1,060)		CE	220-240V~, 16W	4	25.1 (11.4)	58093 - Type I

FILTER PUMP - 530 GAL. (2,006 L)



ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58384E	530 (2,006)	480 (1,817)		ETL-US	110-120V~, 0.6A	4	32.9 (14.9)	58012 - Type III - A/C
58384	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	C-ETL	110-120V~, 0.6A	4	32.0 (14.5)	58012 - Type III - A/C
58383	530 (2,006)	480 (1,817)		CE	220-240V~, 29W	4	29.4 (13.3)	58094 - Type II





FILTER PUMP - 800 GAL. (3,028 L)

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58386	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	CE	220-240V~, 32W	4	30.8 (14.0)	58094 - Type II
58387	800 (3,028)	580 (2,195)		C-ETL	110-120V~, 0.6A	4	31.5 (14.3)	58012 - Type III - A/C



FILTER PUMP - 1,000 GAL. (3,785 L)

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	110-120V~, 1.1A	4	38.1 (17.3)	58012 - Type III - A/C



FILTER PUMP - 1,500 GAL. (5,678 L)

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.8A	1	14.2 (6.4)	58012 - Type III - A/C
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V~, 1.8A	1	14.0 (6.3)	58012 - Type III - A/C
58389	1,500 (5,678)	1,050 (3,974)		CE	220-240V~, 86W	1	14.1 (6.4)	58012 - Type III - A/C

**NEW
DESIGN**

FILTER PUMP - 2,500 GAL. (9,463 L)



ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V~, 3.3A	1	24.7 (11.2)	58095 - Type IV - B
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	110-120V~, 3.3A	1	24.4 (11.1)	58095 - Type IV - B
58391	2,500 (9,463)	2,050 (7,760)		CE	220-240V~, 350W	1	24.5 (11.1)	58095 - Type IV - B

NEW DESIGN

SKIMATIC™ FILTER PUMP

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58463E	680 (2,574)	680 (2,574)	For use with 300-5,400 gal. (1,100-20,500 L) pools	ETL-US	110-120V-, 0.75A	1	17.6 (8.0)	58012 - Type III - A/C
58463	680 (2,574)	680 (2,574)		C-ETL	110-120V-, 0.75A	1	174 (79)	58012 - Type III - A/C
58462	680 (2,574)	680 (2,574)		CE / GS	220-240V-, 48W	1	17.5 (79)	58012 - Type III - A/C

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58470E	1,050 (3,974)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.4A	1	22.0 (10.0)	58012 - Type III - A/C
58470	1,050 (3,974)	1,050 (3,974)		C-ETL	110-120V-, 1.4A	1	21.8 (9.9)	58012 - Type III - A/C
58469	1,050 (3,974)	1,050 (3,974)		CE / GS	220-240V-, 73W	1	214 (9.7)	58012 - Type III - A/C




- Can only be used with battery-powered or manual maintenance equipment
- Uses Type III-A/C cartridges
- Quiet, automatic filtration and cleaning
- Large strainer basket traps floating leaves and debris
- Easy to install without additional hoses or adapters
- Adjustable hanger attaches to pool wall
- Self-contained 1.25 in. / 3.2 cm connector
- Isolated 12V AC transformer
- Full color box



COMBO
FILTER AND SURFACE SKIMMER!



FILTER CARTRIDGE RANGE

ITEM	58093/E	58094	58012/E	58095/E
PRODUCT PHOTO	 Twin Pack	 Twin Pack	 Twin Pack	 Twin Pack
SIZE	Ø3.1 in. x H3.5 in. (Ø8 cm x H9 cm)	Ø4.2 in. x H5.4 in. (Ø10.6 cm x H13.6 cm)	Ø4.2 in. x H8.0 in. (Ø10.6 cm x H20.3 cm)	Ø5.6 in. x H10.0 in. (Ø14.2 cm x H25.4 cm)
PUMP TYPE	330 gal. (1,249 L)	530 / 800 gal. (2,006 / 3,028 L) (220-240 V-)	530 - 1,500 gal. (2,006 - 5,678 L) (110-120 V-) 1,500 gal. (5,678 L) (220-240 V-)	2,500 gal. (9,463 L)
PACK	12	12	12	6
LBS (KG)	3.9 (1.8)	6.7 (3.0)	4.8 (2.2)	5.4 (2.5)
PACKAGING	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card

HOSE

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58368	9 ft. 10 in. / 3 m long, 1.5 in. / 3.8 cm diameter	6	16.1 (7.3)	Full Color Box

- Compatible with cartridge & sand filter pumps that use 1.5 in. / 3.8 cm hoses



HOSE

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58369	9 ft. 10 in. / 3 m long, 1.25 in. / 3.2 cm diameter	12	18.1 (8.2)	Full Color Box

- Compatible with cartridge & sand filter pumps that use 1.25 in. / 3.2 cm hoses



HOSE ADAPTOR

ITEM #	PACK	LBS (KG)	PACKAGING
58236/E	12	4.9 (2.2)	Blister Card

- Durable, corrosion-resistant materials
- Connects 1.5 in. / 38 mm hoses to 1.25 in. / 32 mm pool valves





SOLARFLOW™ 2.1 GAL. / 8 L OUTDOOR SHOWER

ITEM #	SIZE	WATER RESERVOIR, GAL. (L)	PACK	LBS (KG)	PACKAGING
58694/E	19.5 in. x 19.5 in. x 86 in. / 50 cm x 50 cm x 2.18 m	2.1 (8)	1	19.6 (8.9)	Full Color Box

- Black 2.1 gal. (8 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Fixed oversized shower head
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



SOLARFLOW™ 5.2 GAL. / 20 L OUTDOOR SHOWER

ITEM #	SIZE	WATER RESERVOIR, GAL. (L)	PACK	LBS (KG)	PACKAGING
58695/E	24.5 in. x 24.5 in. x 86 in. / 62 cm x 62 cm x 2.18 m	5.2 (20)	1	30.0 (13.5)	Full Color Box


- Black 5.2 gal. (20 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)




SOLARFLOW™ 9.2 GAL. / 35 L OUTDOOR SHOWER

ITEM #	SIZE	WATER RESERVOIR, GAL. (L)	PACK	LBS (KG)	PACKAGING
58696/E	24.5 in. x 24.5 in. x 86 in. / 62 cm x 62 cm x 2.18 m	9.2 (35)	1	40.6 (18.4)	Full Color Box

- Black & gray 9.2 gal. (35 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Convenient soap tray
- Quick connector for easy connection to garden hose (hose not included)








NEW

FLOATBRIGHT™ SOLAR LED POOL FOUNTAIN

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58849/E	7.64 in. x 7.17 in. x 6.66 in. / 19.4 cm x 18.2 cm x 6.75 cm	6	10.4 (4.7)	Full Color Box

- 7-color LED light (9 alternating modes: 7 fixed & 2 alternating)
- Fountain turns on automatically in the water, unless manually powered off
- Solar-powered light turns on automatically at night
- Charges in 5-10 hours, runs for 3 hours at a time
- One-touch ON/OFF buttons
- Fountain & top light with 1 hour auto-shutoff
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Fountain sprays up to 19.5 in. (50 cm) in height
- Light projects up to 8 ft. (2.44 m) in diameter & 5 ft. (1.52 m) deep



FLOATBRIGHT™ LED POOL LIGHT

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58419/E	Ø5.5 in. / Ø14 cm	12	8.4 (3.8)	Full Color Box

- 4-color LED light (7 modes: 1 fixed & 6 alternating)
- Requires 3x AA batteries (not included)
- One-touch ON/OFF button
- 1 hour auto-shutoff
- IP68 waterproof rating - completely submerge-proof and protects from dust
- Light projects up to 8 ft. (2.44 m) in diameter & 5 ft. (1.52 m) deep
- Can be used in or out of the water



SOLARFLOAT™ LED POOL LIGHT

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58111/E	Ø7 in. / Ø18 cm	24	22.2 (10.1) 20.3 (9.2)	Full Color Box

- 7-color LED light (1 alternating mode)
- Solar-powered light turns on automatically at night
- Runs for 8 hours at a time
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Can be used in or out of the water



SOOTHING LED WATERFALL

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58619/E	13.6 in. x 9.5 in. x 12.6 in. / 34.5 cm x 24 cm x 32 cm	3	18.7 (8.5)	Full Color Box

- Compatible with 530-3,000 gal. [2,006-11,335 L] cartridge & sand filter pumps
- Compatible with all above ground frame pools (except steel wall pools)
- Lightshow and waterfall can be used together or independently
- 7-color detachable LED light (8 modes: 7 fixed & 1 alternating)
- Light requires 3x AA batteries (not included)
- Waterfall runs continuously when connected to filter pump
- 2 hour light auto-shutoff
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Includes 1.5 in. / 3.8 cm and 1.25 in. / 3.2 cm hose adapter



MUSICWAVE™ FLOATING LED BLUETOOTH SPEAKER

ITEM #	PACK	LBS (KG)	PACKAGING
58700/E	6	11.8 (5.3)	Full Color Box

- V5.1 Bluetooth speaker provides clear sound, also compatible with V4.2 & V2.1+EDR devices
- 3-color LED light (7 modes: 3 fixed & 4 alternating)
- Built-in rechargeable battery runs for up to 6 hours & recharges in 5-7 hours
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Convenient carry handle
- Communication distance: 33-49 ft. / 10-15 m



POOL CLEANER RANGE

ITEM	58013/E AquaClear™ Pool Maintenance Kit	58794/E AquaClear™ Pool Accessories Kit	58212/E AquaPristine™ Pool Vacuum	58234/E AquaClean™ Pool Maintenance Kit	58237/E AquaClean™ Deluxe Maintenance Kit	58282/E AquaClean™ Pool Vacuum	
PRODUCT PHOTO							
RECOMMENDED POOL							
	Any model	Any model				Any model	
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model	
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model	
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Any model	
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Any model	
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter		Any model	
	Any model	Any model					
DETAILS							
OPERATING SYSTEM	Garden Hose - Venturi Effect	Garden Hose - Venturi Effect		Filter and Sand Pumps - flow rate above 530 gal./h (2,006 L/h)			
HANDLING	Manual	Manual	Manual	Manual	Manual	Manual	
POLE LENGTH	65.7 in. (1.67 m)	63.3 in. / 1.61 m	74.6 in. (1.90 m)	110 in. (2.79 m)	110 in. (2.79 m)		
HOSE LENGTH			19.7 ft. (6.00 m)	24.5 ft. (7.50 m)	24.5 ft. (7.50 m)		
VALVE COMPATIBILITY			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included		
INNER WALL CLEANING			Yes	Yes	Yes	Yes	
MINIMUM FLOW			Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	
MINIMUM WATTAGE							
HIGHLIGHTS	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net • ChemGuard™ chemical dispenser • Pool & spa test strips • Heavy-duty repair patch 	<ul style="list-style-type: none"> • Reusable debris bag • Two angled conversion nozzles, one with brush 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net • Automatic pool surface skimmer 		



Any model	Any model	Any model	Any model		
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 16 ft. (4.88 m) in diameter	Up to 24 ft. (7.32 m) in diameter
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 16 ft. (4.88 m) in diameter	Up to 24 ft. (7.32 m) in diameter
Any model	Up to 10 ft. (3.05 m) wide	Up to 20 ft. (6.10 m) wide	Up to 20 ft. (6.10 m) wide	Up to 18 ft. (5.49 m) in length	Up to 31 ft. 4 in. (9.56 m) in length
Any model	Up to 10 ft. (3.05 m) wide	Up to 20 ft. (6.10 m) wide	Up to 20 ft. (6.10 m) wide	Up to 18 ft. (5.49 m) in length	Up to 26 ft. (7.92 m) in length
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 16 ft. (4.88 m) in diameter	Up to 24 ft. (7.32 m) in diameter
Any model	Any model	Any model	Any model		

Garden Hose - Venturi Effect				Rechargeable lithium battery	Rechargeable lithium battery
Manual	Manual 41.3 in. (1.05 m)	Manual 78.7 in. (2.00 m)	Manual 78.7 in. (2.00 m)	Automatic	Automatic
	Yes	Yes	Yes		
- Reusable debris bag	- 8x AA batteries (not included) - Reusable debris bag	- Battery recharges in 4-5 hours - ~50 min. run-time - Reusable debris bag - Interchangeable vacuum heads	- Battery recharges in 4-5 hours - ~50 min. run-time - Reusable debris bag - Interchangeable vacuum heads - Skimmer head has durable mesh netting - Brush head has curved edges to quickly remove algae and grime	- Cordless design for full range motion - ~30 min. run-time - Built-in sensors activate the device - Directional jet system - Top handles for quick direction changes - Large 0.4 gal. (1.5 L) easy-to-clean debris compartment - Quick-click buckle clasps	- Cordless design for full range motion - ~90 min. run-time - Built-in sensors activate the device - Anti-slip wheels & directional jet system - Side & top handles for quick direction changes - Large 0.9 gal. (3.5 L) easy-to-clean debris compartment - Quick-click buckle clasps



AQUAPRISTINE™ POOL VACUUM

ITEM #	PACK	LBS (KG)	PACKAGING
58212/E	6	30.3 (13.8) 29.3 (13.3)	Full Color Box

Pole Length: 74.6 in. / 1.90 m
Cleans Inner Wall

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 15 ft. (4.57 m) in diameter
- 4-piece aluminum pole is easy to assemble
- Removable and reusable debris bag
- 2 interchangeable cleaning heads: standard and brush
- Hose (19.5 ft. / 6.00 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Includes adapter for skimmer pumps



AQUATECH™ CORDLESS POOL VACUUM

ITEM #	PACK	LBS (KG)	PACKAGING
58770/E	6	19.6 (8.9) 19.0 (8.6)	Full Color Box

- Compatible with above ground pools up to 10 ft. (3.05 m) in diameter
- Lightweight, connectable pole for easy length adjustment in hard-to-reach areas
- Requires 8x AA batteries (not included)
- Simple press-button operation
- Large 0.23 gal. (0.9 L) transparent debris compartment





AQUASURGE™ RECHARGEABLE POOL VACUUM

ITEM #	PACK	LBS (KG)	PACKAGING
58771/E	4	15.7 (7.1)	Full Color Box


- Compatible with above ground pools up to 20 ft. (6.10 m) in diameter
- Lightweight, connectable pole for easy length adjustment in hard-to-reach areas
- 2 interchangeable vacuum heads to clean flat walls or corners
- Built-in rechargeable battery runs for approximately 50 min. & recharges in 4-5 hours
- Simple press-button operation
- USB port for charging
- Large 0.12 gal. (0.54 L) transparent debris compartment



AQUACLEAN™ POOL VACUUM

ITEM #	PACK	LBS (KG)	PACKAGING
58282/E	12	22.2 (10.1)	Header Card

- Compatible with in-ground and above ground pools
- Compatible with poles with inner diameter of 1.2 in. / 30 mm, hoses with inner diameters of 1.25 in. / 32 mm or 1.5 in. / 38 mm and corresponding leaf canister (not included)
- Brushes remove algae and grime



AQUASUCTION™ POOL LEAF VACUUM

ITEM #	PACK	LBS (KG)	PACKAGING
58657/E	6	15.7 (7.1)	Full Color Box

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Compatible with in-ground and above ground pools
- 8 high-pressure jets create suction to vacuum leaves and debris
- 4 multi-directional wheels for easy movement and maneuverability
- 3 brushes along the bottom for a closer clean
- Connects to a standard garden hose with universal adapter (hose not included)
- Large, durable & reusable mesh debris bag with stay-in-place lock



BUILT-IN RECHARGEABLE BATTERY
 RUNS FOR APPROXIMATELY 30 MIN.



AQUATRONIX™ G100 ROBOTIC POOL VACUUM

ITEM #	PACK	LBS (KG)	PACKAGING
58864/E	1	6.7 (3.0)	Full Color Box

- Recommended for flat-bottom above ground pools up to 194 ft.² (18 m²) in total area
- Recommended pool sizes:
 - Round - Up to 16 ft. (4.88 m) in diameter
 - Rectangular - Up to 18 ft. (5.49 m) in length
 - Oval - Up to 18 ft. (5.49 m) in length (except for Hydrium)
- Automatic pool cleaner propels itself along the bottom of the pool to collect debris
- Built-in rechargeable battery runs for approximately 30 min. & recharges in 2.5-4.5 hours
- Cordless design for full range motion; eliminates tangled cords
- Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- Directional jet system creates optimal movability and pivots easily when encountering walls or obstacles
- Top handles for quick direction changes & easy retrieval from the water
- Large 0.4 gal. (1.5 L) easy-to-clean debris compartment
- Quick-click buckle clasps for easy assembly and maintenance



00 | ABOVE GROUND POOLS

AQUATRONIX™ G200 ROBOTIC POOL VACUUM

ITEM #	REGION	VOLTAGE	PACK	LBS (KG)	PACKAGING
58766E	US				
58766	N. America	100-240V - 9.0V DC 2A	1	12.9 (5.9)	Full Color Box
58765	Except N. America & US				

- Recommended for flat-bottom above ground pools up to 538 ft.² (50 m²) in total area
- Recommended pool sizes:
 - Round - Up to 24 ft. (7.32 m) in diameter
 - Rectangular - Up to 31 ft. 4 in. (9.56 m) in length
 - Oval - Up to 26 ft. (7.92 m) in length (except for Hydrium)
- Automatic pool cleaner propels itself along the bottom of the pool to collect debris
- Built-in rechargeable battery runs for approximately 90 min. & recharges in 5-6 hours
- Cordless design for full range motion; eliminates tangled cords
- Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- Anti-slip wheels & directional jet system creates optimal movability and pivots easily when encountering walls or obstacles
- Side & top handles for quick direction changes & easy retrieval from the water
- Large 0.9 gal. (3.5 L) easy-to-clean debris compartment
- Quick-click buckle clasps for easy assembly and maintenance



BUILT-IN RECHARGEABLE BATTERY
 RUNS FOR APPROXIMATELY 90 MIN.






AQUANET™ POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58660/E	19.5 in. x 11.5 in. / 50 cm x 29.5 cm	12	13.5 (6.1)	Header Card


- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Net with durable mesh material



AQUANET™ DELUXE POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58661/E	19.5 in. x 10.0 in. / 50 cm x 26 cm	12	17.6 (8.0)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- High-strength aluminum handle and frame
- Large net with durable mesh material




Aluminum Inner Frame!



AQUANET™ ESSENTIAL POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58278/E	16.9 in. x 8.3 in. / 43 cm x 21 cm	12	7.1 (3.2)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Net with durable mesh material




AQUASCOOP™ POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58635/E	64 in. / 163 cm	12	12.0 (5.4)	Header Card

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight, collapsible aluminum pole
- Net with durable mesh material that repairs itself when rubbed between 2 fingers
- Angled design easily collects debris from pool floor and corners




Self Repairing Mesh



AQUASCOOP™ ESSENTIAL POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58277	12.5 in. x 12 in. / 32 cm x 30.5 cm	12	5.9 (2.7)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 3 cm (not included)
- Net with durable mesh material



AQUASCOOP™ DELUXE POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58659/E	16 in. x 13.5 in. / 40 cm x 34 cm	12	15.2 (6.9)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- High-strength aluminum handle and frame
- Large net with durable mesh material



Self Repairing Mesh





POOL SURFACE SKIMMER

ITEM #	PACK	LBS (KG)	PACKAGING
58233/E	4	17.9 (8.1)	Full Color Box

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools (except steel wall pools)
- Durable & corrosion-resistant plastic material
- Large strainer basket attaches to the filter pump to trap larger debris before water is filtered through the pump
- Easy to install without additional hoses or adapters
- Adjustable hanger attaches to pool wall



AQUASCRUB™ ROTATABLE POOL BRUSH

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58786/E	8 in. / 20.5 cm	12	6.8 (3.1)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Rotatable by 180°
- Curved brush head quickly removes algae and grime from pool walls, corners and floor



AQUABROOM™ POOL BRUSH

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58280/E	20 in. / 50.5 cm	12	8.2 (3.7)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Push pins attach broom head to pole
- Curved brush head quickly removes algae and grime from pool walls, corners and floor



AQUABROOM™ DELUXE POOL BRUSH

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58658/E	25 in. / 63.5 cm	12	13.1 (5.9)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- High-strength metal handle with corrosion resistant coating
- Curved brush head quickly removes algae and grime from pool walls, corners and floor



Nylon Bristles!

COLLAPSIBLE TELESCOPIC POLE

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58702/E	15 ft. / 4.57 m	8	25.4 (11.5)	Shrink Wrapped with Insert Card

- 3-section, collapsible pole
- Length Range: 41 in. - 15 ft. (1.04-4.57 m)
- Corrosion-resistant anodized finish
- 1.2 in. / 30 mm inner diameter





POLE

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58279/E	11 ft. 10 in. / 3.60 m	24	45.2 (20.5)	Polybag with Labels

- Lightweight aluminum material
- 1.2 in. / 30 mm inner diameter
- Attaches to pool-cleaning accessories






AQUACLEAR™ POOL MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58013/E	6	13.9 (6.3)	Full Color Box

Pole Length: 65.7 in. / 1.67 m
Cleans Inner Wall

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum connects to a garden hose to create suction (hose not included)
- Skimmer head has durable mesh netting



AQUACLEAR™ POOL ACCESSORIES KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58794/E	4	12.4 (5.6)	Each Set In A Clam Shell

Pole Length: 63.3 in. / 1.61 m
Cleans Inner Wall

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Chemical floater with built-in chemical-handling glove and thermometer; dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 6.5 sq. in. (42 sq. cm) stick-on patches





AQUASURGE™ POOL MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58831/E	2	11.8 (5.4)	Full Color Box

Pole Length: 78.7 in. / 2.00 m
Cleans Inner Wall

- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Lightweight pole with interchangeable vacuum, skimmer and brush heads
- Vacuum with 2 interchangeable heads
- Vacuum has a built-in rechargeable battery that runs for approximately 50 min.
- Vacuum has 0.12 gal. (0.54 L) transparent debris compartment
- Skimmer head has durable mesh netting
- Brush head has curved edges to quickly remove algae and grime




AQUACLEAN™ POOL MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58234/E	4	32.5 (14.8) 33.2 (15.1)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum hose (24.5 ft. / 7.50 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Skimmer head has durable mesh netting
- Includes adapter for skimmer pumps




AQUACLEAN™ DELUXE MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58237/E	2	28.3 (12.8)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Automatic pool skimmer features a large strainer basket that attaches to the filter pump to trap larger debris before water is filtered through the pump
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum hose (24.5 ft. / 7.50 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Skimmer head has durable mesh netting





POOL HEATER

ITEM #	PACK	LBS (KG)	PACKAGING
58748	1	78.2 (35.5)	Full Color Box

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 7,925 gal. (30,000 L) in water capacity
- Anti-corrosion titanium heat exchanger
- Energy-efficient heating and temperature regulation for all year pool use
- Power consumption 0.92 kW
- Equivalent heating capacity 4.4 kW
- COP 4.8
- Uses eco-friendly low GWP R32 refrigerant
- Easy installation and use
- IPX5 waterproof
- Water sensor power switch
- Working temperature: 54-109°F (12-43°C)
- Includes adapters for both 1.25 in. (3.2 cm) and 1.5 in. (3.8 cm) filter pump connection
- Not available for US market





SOLAR-POWERED POOL HEATER PAD

ITEM #	PACK	LBS (KG)	PACKAGING
58423/E	4	58.5 (26.5)	Full Color Box

- Compatible with up to 2,500 gal. (9,462 L) cartridge filter pumps & 2,200 gal. (8,327 L) sand filter pumps
- Durable weather-resistant material
- Energy-efficient heating and temperature regulation
- Increases pool temperatures by 5-9°F (3-5°C) depending on weather conditions
- Multiple may be needed for larger pool sizes
- Includes adapters compatible with 1.25 in. (3.2 cm) and 1.5 in. (3.8 cm) hoses



POOL HEATER

ITEM #	PACK	LBS (KG)	PACKAGING
58259	4	49.7 (22.5)	Full Color Box

- Compatible with 1,000 gal. (3,785 L) or smaller cartridge & sand filter pumps
- Compatible with above ground pools between 400-4,500 gal. (1,520-17,035 L) in water capacity
- Temperature regulation (≤ 2.9 kW) for all year pool use
- Equipped with residual current device for electrical safety
- Easy installation and use
- Water sensor power switch and temperature control panel with on/off button
- Maximum temperature output: 104°F (40°C)
- Not available for US market





NEW

HYDROGENIC™ 2 G/H SALTWATER CHLORINATOR

ITEM #	RATING	PACK	LBS (KG)	PACKAGING
58772E	110-120V~, 0.31A		9.6 (4.3)	
58772	110-120V~, 0.31A	1	8.8 (4.0)	Full Color Box
58773	220-240V~, 19W		7.9 (3.6)	

- Compatible with 330 gal. (1,249 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 2,200 gal. (8,327 L) in capacity
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes and hair
- Easy-to-use control panel with self locking function
- Automatic self-cleaning mode
- Electrode lifespan alert notifies you when the electrode needs attention
- Includes adapters for most above ground pools
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)



HYDROGENIC™ 6 G/H SALTWATER CHLORINATOR

ITEM #	RATING	PACK	LBS (KG)	PACKAGING
58677E	110-120V~, 1.2A		13.0 (5.9)	
58677	110-120V~, 1.2A	1	12.2 (5.5)	Full Color Box
58678	220-240V~, 80W		11.2 (5.1)	

- Compatible with 330 gal. (1,249 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 7,000 gal. (26,498 L) in capacity
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes and hair
- Easy-to-use control panel with self locking function
- Automatic self-cleaning mode
- Electrode lifespan alert notifies you when the electrode needs attention
- Includes adapters for most above ground pools
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)



HYDROGENIC™ 12 G/H SALTWATER CHLORINATOR

ITEM #	RATING	PACK	LBS (KG)	PACKAGING
58774E	110-120V~, 0.8A		14.9 (6.8)	
58774	110-120V~, 0.8A	1	14.1 (6.4)	Full Color Box
58775	220-240V~, 100W		13.1 (5.9)	

- Compatible with 330 gal. (1,249 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 15,000 gal. (56,775 L) in capacity
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes & hair
- Easy-to-use control panel with self locking function
- Automatic self-cleaning mode
- Electrode lifespan alert notifies you when the electrode needs attention
- Includes adapters for most above ground pools
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)





CHEMGUARD™ CHEMICAL DISPENSER

ITEM #	PACK	LBS (KG)	PACKAGING
58701/E	12	11.0 (5.0)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- Lid becomes built-in glove for safe handling of chemical tablets
- Child safe lock secures lid
- Adjustable dial controls release of chemicals
- Integrated thermometer has easy-to-read temperature gauge with Fahrenheit and Celsius display



CHEMICAL DISPENSER

ITEM #	PACK	LBS (KG)	PACKAGING
58210	24	4.4 (2.0)	Shrink Wrapped with Insert Card

- Dispenses 1 in. / 2.5 cm chlorine or bromine tablets (not included)
- Adjustable dial controls release of chemicals



CHEMICAL DISPENSER

ITEM #	PACK	LBS (KG)	PACKAGING
58769/E	24	13.7 (6.2)	Corrugated Sleeve Box

- Holds 3 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- Adjustable dial controls release of chemicals
- Clear-view top



FLOATING POOL THERMOMETER

ITEM #	PACK	LBS (KG)	PACKAGING
58072/E	36	6.7 (3.1)	Blister Card

- Easy-to-read temperature gradation in both Fahrenheit and Celsius
- Floating design stays on the water's surface
- String attached to keep thermometer in place
- Shatterproof, long-lasting design



DIGITAL FLOATING POOL THERMOMETER

ITEM #	PACK	LBS (KG)	PACKAGING
58764/E	24	9.9 (4.5)	Clam Shell

- Easy-to-read, backlit LCD screen displays both Fahrenheit and Celsius
- Built-in solar-powered battery
- One-touch ON/OFF button
- String attached to keep thermometer in place
- Temperature range: 32-122°F / 0-50°C
- IPX7 waterproof rating - completely submerge-proof
- Shatterproof, long-lasting design



DECORATIVE FLOATING POOL THERMOMETER

ITEM #	PACK	LBS (KG)	PACKAGING
58763/E	24	7.5 (3.4)	Blister Card

- Easy-to-read temperature gradation in both Fahrenheit and Celsius
- Floating design stays on the water's surface
- String attached to keep thermometer in place
- Shatterproof, long-lasting design



POOL & SPA TEST STRIPS

ITEM #	PACK	LBS (KG)	PACKAGING
58142/E	24	2.7 (1.2) 3.0 (1.4)	Full Color Box

- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 18-month shelf life
- New full color box packaging for improved shelf efficiency



POOL & SPA SALTWATER TEST STRIPS

ITEM #	PACK	LBS (KG)	PACKAGING
58767/E	24	2.5 (1.2) 2.8 (1.3)	Full Color Box

- Uses an instant color-match system to measure salt levels (0-8000 ppm)
- 18-month shelf life
- New full color box packaging for improved shelf efficiency



HEAVY DUTY REPAIR PATCH

ITEM #	PACK	LBS (KG)	PACKAGING
62068/E	36	1.9 (0.9)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 sq. cm) stick-on patches
- Repairs punctures and abrasions on all inflatable items



UNDERWATER ADHESIVE REPAIR PATCH

ITEM #	PACK	LBS (KG)	PACKAGING
62091/E	36	2.3 (1.0)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 sq. cm) stick-on patches
- Repairs punctures and abrasions on pools and other underwater items



POOL DRAIN PUMP

ITEM #	PUMP FLOW RATE GAL. (L) / HR	CERTIFICATION	RATING	PACK	LBS (KG)	PACKAGING
58261/E	800 (3,028)	cTUVus	110-120V-, 0.8A	4	28.6 (13.0)	Full Color Box
58230		CE	220-240V-, 80W		30.5 (13.8)	

- Pump Flow Rate: 800 gal./h (3,028 L/h)
- Durable, corrosion-resistant materials
- Quickly & automatically drains pool water
- 16.5 ft. / 5.00 m drain hose with 1.25 in. / 32 mm diameter
- Includes garden hose adapters



16.5 ft. / 5 m
Long Drain Hose





33 IN. / 84 CM POOL LADDER

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
58430	Except North America	1	12.8 (5.8)	Sturdy Cardboard Box with Pictures

- Corrosion-resistant metal frame with heavy-duty plastic steps
- Compatible with above ground pools up to 84 cm (33") tall
- Easy assembly



58335/E



58330 & 58787E



FLIP & LOCK™

42 IN. / 1.07 M POOL LADDER

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
58335E	US		15.9 (7.2)	
58335	N. America / Asia, Africa & L. America	1	15.9 (7.2)	Sturdy Cardboard Box with Pictures
58330	Europe		19.4 (8.8)	
58787E	US		18.7 (8.5)	

- Corrosion-resistant metal frame with heavy-duty plastic steps
- Compatible with above ground pools up to 42 in. (1.07 m) tall
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (58330 & 58787E)



58336/E



58331 & 58611E



FLIP & LOCK™

48 IN. / 1.22 M POOL LADDER

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
58336E	US		21.1 (9.6)	
58336	N. America / Asia, Africa & L. America	1	21.1 (9.6)	Sturdy Cardboard Box with Pictures
58331	Europe		26.2 (11.9)	
58611E	US		25.0 (11.3)	

- Corrosion-resistant metal frame with heavy-duty plastic steps
- Compatible with above ground pools up to 48 in. (1.22 m) tall
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (58331 & 58611E)



58337/E



58332 & 58788E



FLIP & LOCK™

52 IN. / 1.32 M POOL LADDER

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
58337E	US		25.3 (11.5)	
58337	N. America / Asia, Africa & L. America	1	25.3 (11.5)	Sturdy Cardboard Box with Pictures
58332	Europe		29.0 (13.1)	
58788E	US			

- Compatible with above ground pools up to 52 in. (1.32 m) tall
- Corrosion-resistant metal frame with heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (58332 & 58788E)

SOLAR POOL COVERS

ITEM #	SIZE DIAMETER	FITS BESTWAY® POOLS:	PACK	LBS (KG)
58060/E	6 ft. 10 in. / 2.10 m	- 8 ft. (2.44 m) Round Inflatable Ring Pools	4	4.5 (2.0)
58241/E	9 ft. 6 in. / 2.89 m	- 10 ft. (3.05 m) Round Frame Pools - 10 ft. (3.05 m) Round Inflatable Ring Pools - 10 ft. (3.05 m) Round Steel Wall Pools	2	4.1 (1.9)
58242/E	11 ft. 8 in. / 3.56 m	- 12 ft. (3.66 m) Round Frame Pools - 12 ft. (3.66 m) & 13 ft. (3.96 m) Round Inflatable Ring Pools - 12 ft. (3.66 m) Round Steel Wall Pools	2	6.4 (2.9)
58252/E	13 ft. 8 in. / 4.17 m	- 13 ft. (3.96 m) & 14 ft. (4.27 m) Round Frame Pools - 15 ft. (4.57 m) Round Inflatable Ring Pools	2	8.0 (3.6)
58253/E	15 ft. 2 in. / 4.62 m	- 15 ft. (4.57 m) & 16 ft. (4.88 m) Round Frame Pools - 15 ft. (4.57 m) & 16 ft. (4.88 m) Round Steel Wall Pools	2	9.4 (4.2)
58173/E	17 ft. 3 in. / 5.27 m	- 18 ft. (5.49 m) Round Frame Pools - 18 ft. (5.49 m) Round Steel Wall Pools	1	6.4 (2.9)
58240	12 ft. 5 in. x 70.5 in. / 3.80 m x 1.80 m	- 13 ft. 3 in. x 6 ft. 7 in. (4.04 m x 2.01 m) & 13 ft. 6 in. x 6 ft. 7 in. (4.12 m x 2.01 m) Rectangular Frame Pools	2	4.2 (1.9)
58228	23 ft. x 11 ft. / 7.03 m x 3.36 m	- 21 ft. x 9 ft. (6.40 m x 2.74 m) & 24 ft. x 12 ft. (7.32 m x 3.66 m) Rectangular Frame Pools	1	6.8 (3.1)

- PE material
- Uses solar energy to warm the pool water and prevent heat from escaping
- Carry bag with insert card



POOL COVERS

ITEM #	SIZE DIAMETER	FITS BESTWAY® POOLS:	PACK	LBS (KG)
58032/E	7 ft. 10 in. / 2.40 m	- 8 ft. (2.44 m) Round Inflatable Ring Pools	6	18.8 (8.5)
58036/E	10 ft. / 3.05 m	- 10 ft. (3.05 m) Round Frame Pools - 10 ft. (3.05 m) Round Inflatable Ring Pools	6	26.7 (12.1)
58037/E	12 ft. 1 in. / 3.70 m	- 12 ft. (3.66 m) Round Frame Pools - 12 ft. (3.66 m) Round Inflatable Ring Pools	6	37.1 (16.8)
58248/E	14 ft. / 4.27 m	- 14 ft. (4.27 m) Round Frame Pools	6	49.4 (22.4)
58292	13 ft. 2 in. / 4.01 m	- 13 ft. (3.96 m) Round Frame Pools - 13 ft. (3.96 m) Round Inflatable Ring Pools - 12 ft. (3.66 m) Round Steel Wall Pools	6	41.1 (18.7)
58038/E	15 ft. 5 in. / 4.70 m	- 15 ft. (4.57 m) Round Frame Pools - 15 ft. (4.57 m) Round Inflatable Ring Pools	4	36.4 (16.5)
58249/E	16 ft. 2 in. / 4.93 m	- 16 ft. (4.88 m) Round Frame Pools - 15 ft. (4.57 m) Round Steel Wall Pools	4	39.6 (18.0)
58039/E	18 ft. 2 in. / 5.55 m	- 18 ft. (5.49 m) Round Frame Pools - 16 ft. (4.88 m) Round Steel Wall Pools	4	50.7 (23.0)

- PVC material
- Drain holes prevent water accumulation
- Rope secures cover
- Full color box



POOL COVERS

ITEM #	SIZE	FITS BESTWAY POOLS:	PACK	LBS (KG)
58103	7 ft. 4 in. x 60.5 in. / 2.24 m x 1.54 m	- 7 ft. 3 in. x 59 in. (2.21 m x 1.50 m) Rectangular Frame Pools	8	9.3 (4.2)
58105	8 ft. 8 in. x 68.5 in. / 2.64 m x 1.74 m	- 8 ft. 6 in. x 67 in. (2.59 m x 1.70 m) Rectangular Frame Pools	8	11.1 (5.0)
58106	10 ft. x 6 ft. 9 in. / 3.04 m x 2.05 m	- 9 ft. 10 in. x 6 ft. 7 in. (3.00 m x 2.01 m) Rectangular Frame Pools	6	10.3 (4.7)
58107	13 ft. 5 in. x 7 ft. 5 in. / 4.10 m x 2.26 m	- 13 ft. 1 in. x 6 ft. 11 in. (4.00 m x 2.11 m) Rectangular Frame Pools	6	14.9 (6.8)

- PE material
- Drain holes prevent water accumulation
- Rope secures cover
- Full color box



POOL COVERS

ITEM #	SIZE	FITS BESTWAY POOLS:	PACK	LBS (KG)
58424	10 ft. x 6 ft. / 3.05 m x 1.84 m	- 10 ft. x 6 ft. 7 in. (3.05 m x 2.00 m) Oval Frame Pools	6	21.2 (9.6)
58425	14 ft. x 7 ft. 6 in. / 4.27 m x 2.30 m	- 14 ft. x 8 ft. 2 in. (4.27 m x 2.50 m) Oval Frame Pools	6	30.6 (13.9)
58442	8 ft. 10 in. x 70 in. / 2.69 m x 1.79 m	- 9 ft. 3 in. x 6 ft. 5 in. (2.82 m x 1.96 m) Rectangular Frame Pools	6	19.1 (8.7)
58232	13 ft. x 6 ft. 1 in. / 3.96 m x 1.85 m	- 13 ft. 6 in. x 6 ft. 7 in. (4.12 m x 2.01 m) & 13 ft. 3 in. x 6 ft. 7 in. (4.04 m x 2.01 m) Rectangular Frame Pools	6	27.4 (12.4)

- PVC material
- Drain holes prevent water accumulation
- Rope secures cover
- Full color box



POOL CANOPY

ITEM #	FITS POOLS:	PACK	LBS (KG)	PACKAGING
58681/E	10 ft. (3.05 m) - 18 ft. (5.49 m)	4	19.9 (9.0)	Full Color Box

- Compatible with round above ground frame pools between 10-18 ft. (3.05-5.49 m) in diameter
- Easily attaches to and detaches from the frame of an above ground pool
- Curtains can be rolled up and down using the zipper to control the shade
- UPF 40+ sun protection
- Semi-open design provides shade over a portion of the pool
- Setup time: 10 min.



POOL CANOPY

ITEM #	FITS POOLS:	PACK	LBS (KG)	PACKAGING
58746/E	6 ft. 11 in. (2.10 m) - 11 ft. 3 in. (3.44 m)	4	34.2 (15.5)	Full Color Box

- Compatible with rectangular and oval frame pools with widths of both sides between 6 ft. 11 in. (2.11 m) and 11 ft. 3 in. (3.44 m)
- Easily attaches to and detaches from the frame of an above ground pool
- UPF 40+ sun protection
- Setup time: 10 min.





Bestway
STEEL PRO MAX

GROUND CLOTHS

ITEM #	SIZE	FITS POOLS:	PACK	LBS (KG)
58000	9 ft. x 9 ft. / 2.74 m x 2.74 m	- Up to 8 ft. (2.44 m) in diameter	6	8.9 (4.1)
58001/E	11 ft. x 11 ft. / 3.35 m x 3.35 m	- Up to 10 ft. (3.05 m) in diameter	4	8.6 (3.9)
58002/E	13 ft. x 13 ft. / 3.96 m x 3.96 m	- Up to 12 ft. (3.66 m) in diameter	4	11.8 (5.4)
58003/E	16 ft. x 16 ft. / 4.88 m x 4.88 m	- Up to 15 ft. (4.57 m) in diameter	4	16.8 (7.6)


- PE material
- Provides extra protection for the bottom of the pool
- Full color box



FLOOR PROTECTOR

ITEM #	SIZE	CONTENTS	COLORS	PACK	LBS (KG)
58220/E	20 in. x 20 in. / 50 cm x 50 cm	9 Pieces		30	50.3 (22.8)
58636/E	31 in. x 31 in. / 78 cm x 78 cm			8	33.4 (15.1)


- Multiple packages may be needed to cover the desired area
- Provides added protection for pools or spas
- Shrink wrapped with insert card



DECORATIVE FLOOR PROTECTOR

ITEM #	SIZE	CONTENTS	COLORS	PACK	LBS (KG)
58712/E	20 in. x 20 in. / 50 cm x 50 cm	12 Pieces		24	69.8 (31.7)

- Product Coverage: 32.2 sq. ft. / 3.00 sq. m
- Multiple packages may be needed to cover the desired area
- Provides added protection for pools or spas
- Realistic wooden pattern
- Attachable pieces create straight edges
- Shrink wrapped with insert card



INDEX

30014/E	Polysphere™ Display	P 85	561MF/E	APX 365™ Rectangular Pool Set	P 66	56425/E	Steel Pro® Rectangular Pool Set	P 33	56715/E	Steel Pro MAX™ Splashview™ Oval Pool Set	P 57
561CF/E	My First Frame Pool And Sandpit	P 20	5611R	Steel Pro MAX™ Oval Pool Set	P 55	56432	Splash-in-Shade Play Pool	P 21	56716	Steel Pro MAX™ Splashview™ Oval Pool Set	P 57
561CS	Hydrium™ Pool Set	P 74	5611S/E	Steel Pro MAX™ Oval Pool Set	P 55	56438	Steel Pro MAX™ Round Pool Set	P 49	56717/E	Steel Pro MAX™ Splashview™ Oval Pool Set	P 57
561CT/E	Hydrium™ Pool Set	P 74	5612X	Steel Pro MAX™ Pool Set	P 43	56439	Steel Pro MAX™ Round Pool Set	P 49	56719	Steel Pro MAX™ Comfort Jet™ Oval Pool Set	P 58
561CU	Hydrium™ Pool Set	P 74	5612Y	Steel Pro MAX™ Pool Set	P 43	56441	Steel Pro MAX™ Rectangular Pool Set	P 50	56720/E	Steel Pro MAX™ Comfort Jet™ Oval Pool Set	P 58
561CV/E	Hydrium™ Pool Set	P 74	5612Z	Steel Pro MAX™ Round Pool Set	P 49	56448	Steel Pro MAX™ Oval Pool Set	P 52	56725	Steel Pro MAX™ Splashview™ Round Pool Set	P 44
561CW	Hydrium™ Oval Pool Set	P 74	5613A/E	Steel Pro MAX™ Round Pool Set	P 49	56450	Steel Pro MAX™ Oval Pool Set	P 52	56726/E	Steel Pro MAX™ Splashview™ Round Pool Set	P 44
561CX/E	Hydrium™ Oval Pool Set	P 74	5613HE	Steel Pro MAX™ Pool Set	P 43	56462	Steel Pro MAX™ Round Pool Set	P 49	56948E	Steel Pro MAX™ Round Pool Set	P 43
561FS/E	Steel Pro® Rectangular Pool	P 34	5613Z/E	Steel Pro MAX™ Oval Pool Set	P 52	56463/E	Steel Pro MAX™ Round Pool Set	P 49	56949	Steel Pro MAX™ Round Pool Set	P 43
561FT	Steel Pro® Rectangular Pool	P 34	5614A	Steel Pro MAX™ Oval Pool Set	P 52	56465	Steel Pro MAX™ Rectangular Pool Set	P 50	56950	Steel Pro MAX™ Round Pool Set	P 43
561FU/E	Steel Pro® Rectangular Pool Set	P 34	5618UE	Steel Pro MAX™ Round Pool Set	P 43	56467	Steel Pro MAX™ Rectangular Pool Set	P 50	57241/E	My First Fast Set™ Pool	P 19
561FV	Steel Pro® Rectangular Pool Set	P 34	5618V	Steel Pro MAX™ Round Pool Set	P 43	56493/E	Steel Pro MAX™ Round Pool	P 38	57266	Fast Set™ Pool	P 24
561FX/E	Steel Pro MAX™ Round Pool Set	P 40	5618W	Steel Pro MAX™ Round Pool Set	P 43	56496/E	Steel Pro® Rectangular Pool	P 32	57269/E	Fast Set™ Pool Set	P 24
561FY	Steel Pro MAX™ Round Pool Set	P 40	56217/E	My First Frame Pool	P 18	56498/E	Steel Pro® Rectangular Pool	P 32	57270	Fast Set™ Pool Set	P 24
561GBE	Steel Pro MAX™ LED Round Pool Set	P 46	56260	Steel Pro MAX™ Round Pool Set	P 38	56512/E	Steel Pro® Rectangular Pool	P 33	57273	Fast Set™ Pool	P 25
561GC	Steel Pro MAX™ LED Round Pool Set	P 46	56283	My First Frame Pool	P 18	56536E	Steel Pro MAX™ Rectangular Pool Set	P 50	57274	Fast Set™ Pool Set	P 25
561GD	Steel Pro MAX™ LED Round Pool Set	P 46	56369	Hydrium™ Oval Pool Set	P 72	56543/E	Splash-in-Shade Play Pool	P 21	57275	Fast Set™ Pool Set	P 25
561GFE	Steel Pro MAX™ Round Pool Set	P 38	56370/E	Hydrium™ Oval Pool Set	P 72	56545/E	Steel Pro® Rectangular Pool	P 32	57307/E	Fast Set™ Pool	P 24
561JK	Steel Pro MAX™ Splashview™ Round Pool Set	P 44	56384	Hydrium™ Pool Set	P 70	56566	Hydrium™ Pool Set	P 70	57308/E	Fast Set™ Pool	P 25
561JM	Steel Pro MAX™ Splashview™ Round Pool Set	P 44	56385/E	Hydrium™ Pool Set	P 70	56574	Hydrium™ Pool Set	P 70	57313	Fast Set™ Pool Set	P 27
561JNE	Steel Pro MAX™ Splashview™ Round Pool Set	P 44	56401	Steel Pro® Rectangular Pool	P 32	56575	Hydrium™ Pool Set	P 70	57315/E	Fast Set™ Pool Set	P 27
561JY/E	APX 365™ Round Pool Set	P 64	56403	Steel Pro® Rectangular Pool	P 32	56586	Hydrium™ Oval Pool Set	P 72	57371/E	Fast Set™ Pool Set	P 27
561JZ	APX 365™ Round Pool Set	P 64	56404	Steel Pro® Rectangular Pool	P 32	56587/E	Hydrium™ Oval Pool Set	P 72	57372	Fast Set™ Pool Set	P 27
561KA	APX 365™ Rectangular Pool Set	P 66	56405	Steel Pro® Rectangular Pool	P 33	56595	Steel Pro MAX™ Round Pool Set	P 43	57375/E	Fast Set™ Pool Set	P 27
561KB/E	APX 365™ Round Pool Set	P 64	56406	Steel Pro MAX™ Round Pool	P 38	56597/E	Steel Pro MAX™ Round Pool Set	P 43	57376	Fast Set™ Pool Set	P 27
561KC	APX 365™ Round Pool Set	P 64	56407/E	Steel Pro MAX™ Round Pool Set	P 38	56620	Steel Pro MAX™ Oval Pool Set	P 52	57392/E	Fast Set™ Pool	P 24
561KD/E	APX 365™ Round Pool Set	P 64	56408	Steel Pro MAX™ Round Pool Set	P 38	56622/E	Steel Pro MAX™ Oval Pool Set	P 52	57447/E	Fast Set™ Pool	P 24
561KE	APX 365™ Round Pool Set	P 64	56411	Steel Pro® Rectangular Pool Set	P 32	56629	Steel Pro MAX™ Rectangular Pool Set	P 50	57448	Fast Set™ Pool	P 24
561KG	APX 365™ Rectangular Pool Set	P 66	56412/E	Steel Pro® Rectangular Pool Set	P 32	56631/E	Steel Pro MAX™ Rectangular Pool Set	P 50	57449/E	Fast Set™ Pool Set	P 24
561KH/E	APX 365™ Rectangular Pool Set	P 66	56416	Steel Pro MAX™ Round Pool Set	P 38	56655E	Steel Pro MAX™ Oval Pool Set	P 52	57450	Fast Set™ Pool Set	P 24
561KJ	APX 365™ Rectangular Pool Set	P 66	56417	Steel Pro MAX™ Round Pool Set	P 38	56670	Steel Pro MAX™ Rectangular Pool Set	P 50	57497E	Fast Set™ Pool Set	P 25
561KK/E	APX 365™ Rectangular Pool Set	P 66	56418	Steel Pro MAX™ Round Pool Set	P 38	56672	Steel Pro MAX™ Rectangular Pool Set	P 50	58000	Ground Cloth	P 124
561KM/E	Fetchin' Fun™ Pet Play Pool	P 20	56419	Steel Pro MAX™ Round Pool Set	P 38	56690E	Steel Pro MAX™ Round Pool Set	P 49	58001/E	Ground Cloth	P 124
			56420	Steel Pro MAX™ Round Pool Set	P 38	56710	Steel Pro MAX™ Oval Pool Set	P 52	58002/E	Ground Cloth	P 124
			56421	Steel Pro MAX™ Round Pool Set	P 38	56711/E	Steel Pro MAX™ Oval Pool Set	P 52	58003/E	Ground Cloth	P 124
			56424	Steel Pro® Rectangular Pool Set	P 33	56714	Steel Pro MAX™ Splashview™ Oval Pool Set	P 57	58012/E	Filter Cartridge (III-A/C)	P 89

58013/E	AquaClear™ Pool Maintenance Kit	P 108	58261/E	Pool Drain Pump	P 117	58486/GS	Sand Filter	P 85	58770/E	AquaTech™ Cordless Pool Vacuum	P 97
58032/E	Round Pool Cover	P 120	58277	AquaScoop™ Essential Pool Skimmer	P 103	58497/GS	Sand Filter	P 84	58771/E	AquaSurge™ Rechargeable Pool Vacuum	P 98
58036/E	Round Pool Cover	P 120	58278/E	AquaNet™ Essential Pool Skimmer	P 102	58498/E	Sand Filter	P 84	58772/E	Hydrogenic™ 2 G/H Saltwater Chlorinator	P 112
58037/E	Round Pool Cover	P 120	58279/E	Pole	P 107	58499/GS	Sand Filter	P 84	58773	Hydrogenic™ 2 G/H Saltwater Chlorinator	P 112
58038/E	Round Pool Cover	P 120	58280/E	AquaBroom™ Pool Brush	P 106	58500/E	Sand Filter	P 84	58774/E	Hydrogenic™ 12 G/H Saltwater Chlorinator	P 113
58039/E	Round Pool Cover	P 120	58282/E	AquaClean™ Pool Vacuum	P 99	58511/E	Filter Pump	P 86	58775	Hydrogenic™ 12 G/H Saltwater Chlorinator	P 113
58060/E	Round Solar Pool Cover	P 120	58292	Round Pool Cover	P 120	58515/GS	Sand Filter	P 84	58786/E	AquaScrub™ Rotatable Pool Brush	P 106
58072/E	Floating Pool Thermometer	P 115	58330	Flip & Lock™ Pool Ladder	P 118	58516/E	Sand Filter	P 84	58787E	Flip & Lock™ Pool Ladder	P 118
58093/E	Filter Cartridge (I)	P 89	58331	Flip & Lock™ Pool Ladder	P 119	58611E	Flip & Lock™ Pool Ladder	P 119	58788E	Flip & Lock™ Pool Ladder	P 119
58094	Filter Cartridge (II)	P 89	58332	Flip & Lock™ Pool Ladder	P 119	58619/E	Soothing LED Waterfall	P 93	58794/E	AquaClear™ Pool Accessories Kit	P 108
58095/E	Filter Cartridge (IV-B)	P 89	58335/E	Pool Ladder	P 118	58635/E	AquaScoop™ Pool Skimmer	P 103	58831/E	AquaSurge™ Pool Maintenance Kit	P 109
58103	Rectangle Pool Cover	P 121	58336/E	Pool Ladder	P 119	58636/E	Floor Protector	P 125	58849/E	FloatBright™ Solar LED Pool Fountain	P 92
58105	Rectangle Pool Cover	P 121	58337/E	Pool Ladder	P 119	58657/E	AquaSuction™ Pool Leaf Vacuum	P 99	58864/E	AquaTronix™ G100 Robotic Pool Vacuum	P 100
58106	Rectangle Pool Cover	P 121	58368	Hose	P 89	58658/E	AquaBroom™ Deluxe Pool Brush	P 106	58870	Polysphere™ Filter Pump	P 86
58107	Rectangle Pool Cover	P 121	58369	Hose	P 89	58659/E	AquaScoop™ Deluxe Pool Skimmer	P 103	58871/E	Polysphere™ Filter Pump	P 86
58111/E	SolarFloat™ LED Pool Light	P 92	58381	Filter Pump	P 86	58660/E	AquaNet™ Pool Skimmer	P 102	62068/E	Heavy Duty Repair Patch	P 117
58142/E	Pool & Spa Test Strips	P 116	58383	Filter Pump	P 86	58661/E	AquaNet™ Deluxe Pool Skimmer	P 102	62091/E	Underwater Adhesive Repair Patch	P 117
58173/E	Round Solar Pool Cover	P 120	58384/E	Filter Pump	P 86	58677/E	Hydrogenic™ 6 G/H Saltwater Chlorinator	P 113			
58210	Chemical Dispenser	P 114	58386	Filter Pump	P 87	58678	Hydrogenic™ 6 G/H Saltwater Chlorinator	P 113			
58212/E	AquaPristine™ Pool Vacuum	P 96	58387	Filter Pump	P 87	58681/E	Pool Canopy	P 122			
58220/E	Floor Protector	P 125	58388E	Filter Pump	P 87	58692/E	Sand Filter	P 85			
58228	Rectangle Solar Pool Cover	P 120	58389	Filter Pump	P 87	58694/E	SolarFlow™ 2.1 gal. / 8 L Outdoor Shower	P 90			
58230	Pool Drain Pump	P 117	58390/E	Filter Pump	P 87	58695/E	SolarFlow™ 5.2 gal. / 20 L Outdoor Shower	P 90			
58232	Rectangle Pool Cover	P 121	58391	Filter Pump	P 87	58696/E	SolarFlow™ 9.2 gal. / 35 L Outdoor Shower	P 90			
58233/E	Pool Surface Skimmer	P 105	58392/E	Filter Pump	P 87	58700/E	MusicWave™ Floating LED Bluetooth Speaker	P 93			
58234/E	AquaClean™ Pool Maintenance Kit	P 109	58419/E	FloatBright™ LED Pool Light	P 92	58701/E	ChemGuard™ Chemical Dispenser	P 114			
58236/E	Hose Adaptor	P 89	58423/E	Solar-Powered Pool Heater Pad	P 111	58702/E	Collapsible Telescopic Pole	P 107			
58237/E	AquaClean™ Deluxe Maintenance Kit	P 109	58424	Oval Pool Cover	P 121	58712/E	Decorative Floor Protector	P 125			
58240	Rectangle Solar Pool Cover	P 120	58425	Oval Pool Cover	P 121	58746/E	Pool Canopy	P 122			
58241/E	Round Solar Pool Cover	P 120	58430	Pool Ladder	P 118	58748	Pool Heater	P 110			
58242/E	Round Solar Pool Cover	P 120	58442	Rectangle Pool Cover	P 121	58763/E	Decorative Floating Pool Thermometer	P 115			
58248/E	Round Pool Cover	P 120	58462	Skimatic™ Filter Pump	P 88	58764/E	Digital Floating Pool Thermometer	P 115			
58249/E	Round Pool Cover	P 120	58463/E	Skimatic™ Filter Pump	P 88	58765	AquaTronix™ G200 Robotic Pool Vacuum	P 101			
58252/E	Round Solar Pool Cover	P 120	58469	Skimatic™ Filter Pump	P 88	58766/E	AquaTronix™ G200 Robotic Pool Vacuum	P 101			
58253/E	Round Solar Pool Cover	P 120	58470/E	Skimatic™ Filter Pump	P 88	58767E	Pool & Spa Saltwater Test Strips	P 116			
58259	Pool Heater	P 111	58475/E	Polysphere™ Pool Filtration Balls	P 85	58769/E	Chemical Dispenser	P 114			

LIVE IT UP

Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most.
LIVE IT UP TOGETHER WITH BESTWAY.

Bestway.

WWW.BESTWAYCORP.COM   

©2024 Bestway Inflatables & Material Corp. All rights reserved.
©™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

