

Bestway

LAY-Z-SPA.  
TORONTO

LAY-Z-SPA<sup>®</sup>

2027 catalog

**Bestway**

**2027**

# CATALOG *collection*

Enjoy our extensive  
collection of products  
in our six catalogs.

- Above Ground Pools
  - Air Mattresses
  - Hot Tubs
  - Summer & License
  - Watersports
  - Camping Gear\*
- \*Only available for INTL

## Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products will be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



# OUR *Mission*

Bestway is on a mission to bring the fun to every household in every country worldwide. We help our customers get more out of life and make lasting memories in all seasons through our dependable, affordable and innovative recreational products. We want everyone to "Live It Up" as our global tagline reflects.



# OUR vision

Bestway® is dedicated to helping everyone Live It Up and enjoy vacay every day with its outdoor and indoor recreational products.

Our vision began with a simple beach ball and has transformed into over 1,800 different products with many available in over 120 countries worldwide.

With over 30 years in the industry, Bestway has forged a global presence, developing an extensive product line and becoming forward thinkers about sustainable business practices.



## SHANGHAI, CHINA HQ • PRODUCTION

No. 208 Jin Yuan Wu Road,  
Shanghai, 201812, China  
info@bestwaycorp.com



## HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing,  
Tsim Sha Tsui Centre,  
66 Mody Road, Kowloon, Hong Kong  
info@bestwaycorp.hk



## ARIZONA, U.S.A. R&D • SUBSIDIARY

3435 S. McQueen Road,  
Chandler, AZ 85286,  
United States of America  
info@bestwaycorp.us



## MILAN, ITALY R&D • SUBSIDIARY

Via Resistenza, 5 20098  
San Giuliano M.se (MI), Italy  
info@bestwaycorp.eu



## BELGIUM / LUXEMBURG SUBSIDIARY

Ronseweg 66, Loft 0104  
9600 Oudenaarde, Belgium  
info@bestwaycorp.be



## SCANDINAVIA A/S SUBSIDIARY

Hammerensgade 1, 2<sup>nd</sup> Fl  
1267 Copenhagen K, Denmark  
info@bestwayscandinavia.eu



## GERMANY / AUSTRIA SUBSIDIARY

Bräthenfelder Straße 45  
24534 Neumünster, Germany  
info@bestwaycorp.de



## LYON, FRANCE SUBSIDIARY

223 rue des Métalliers Zi Les Platières  
69700 Chassagny Beauvallon  
info@bestwaycorp.fr



## WARSAW, POLAND SUBSIDIARY

Ul. Ekologiczna 24 05-080  
Klaudyn Poland  
info@bestwaycorp.pl



## DUBAI, U.A.E. SUBSIDIARY

Unit 805, Fortune Tower,  
Cluster C, Jumeirah Lake Towers,  
P.O. Box 120673  
Dubai, United Arab Emirates  
info@bestwayme.com



## PARANÁ, BRAZIL SUBSIDIARY

Av. Melvin Jones, nº 1018, Quadra 001,  
Lote 025 - Maringá - PR - Brazil  
Zip Code: 87070-030  
info@bestwaycorp.com.br



## SYDNEY, AUSTRALIA SUBSIDIARY

15 Millennium Court  
Silverwater NSW 2128, Australia  
info@bestwaycorp.com.au



## SANTIAGO, CHILE SUBSIDIARY

Av del Valle Sur 576, Ciudad Empresarial,  
Huechuraba, Santiago, Chile  
info@bestwaycorp.lat

# GLOBAL *factories*

Bestway® is poised for sustainable, global growth. From wholly owning its 5 factories - 3 in mainland China and 2 in Vietnam - to actively reducing and reusing waste and focusing on production efficiency, Bestway's strategic focus on an end-to-end manufacturing and distribution process results in faster delivery, superior product quality and the highest levels of customer satisfaction.

With the addition of its Vietnam manufacturing facilities, Bestway is primed for exponential growth while providing tariff savings and manufacturing redundancy while enhancing global shipping and supply chain support for many years to come.



YANCHENG



NANTONG



SHANGHAI



DONG THAP, VIETNAM



CAN THO, VIETNAM

# 1



**MATERIAL  
PRODUCTION**

# 2



**PRODUCT  
ASSEMBLY**

# 3



**PACKING**



## OUR COMMITMENT TO A *better future*

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 18 million square feet of factory buildings, each covered in solar panels to equal about 40 soccer fields.

As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging.**



Ongoing Energy  
Reduction Projects to  
Reduce Emissions



Reuse and  
Recycling of  
Production Scraps



Water Is Reused in  
Factories, Offices  
& Dormitories



Annual Recipient of  
"China Top Performing  
Suppliers on Climate  
Action" Award



ALMOST  
**20%**  
OF ELECTRICITY  
IS POWERED BY  
**SOLAR**



ALMOST  
**2.48 M  
SQ. FEET**  
OF SOLAR PANELS



ALMOST  
**99.7%**  
OF SCRAP  
MATERIALS ARE  
**REUSED**



OVER  
**30,000  
TONS**  
OF PVC IS  
**REUSED**



KEY ITEMS  
PACKAGING MEET  
**FSC**  
CERTIFICATION  
STANDARDS



**97%**  
OF OVERALL  
PACKAGING IS  
**RECYCLABLE**



# LAY-Z-S

A woman with blonde hair, wearing a red dress, is smiling and looking to her right. She is holding a glass of orange-colored drink with a garnish. The background is a blurred outdoor setting with greenery and a stone structure. The text 'LAY-Z-S' is overlaid in large, white, sans-serif font across the middle of the image.

# PA<sup>®</sup>

## 20<sup>TH</sup> LAY-Z-SPA. *Anniversary*

Twenty years ago, Bestway pioneered a new product the market hadn't seen before: the Lay-Z-Spa<sup>®</sup> portable, inflatable hot tub.

Since then, we've continued to push the bounds of innovation by creating powerful HydroJet Pro<sup>™</sup> massage systems, the Bestway Connect<sup>™</sup> App to control your hot tub from anywhere, and unique features such as energy-efficient liners and covers, LED lights and ergonomic lounges. Today, the Original Premium Portable Spa<sup>™</sup> is the world's leading inflatable hot tub, helping to bring more relaxation and recovery into your day, so you can Live it Up to the fullest.

### HOT TUBS

|                                |    |
|--------------------------------|----|
| STANDARD SERIES                | 20 |
| MAXHOLD <sup>™</sup> SERIES    | 44 |
| THERMACORE <sup>™</sup> SERIES | 94 |

### ICE BATHS

112

### XTRAS

122



# PRODUCT TECHNOLOGY

## THE ORIGINAL PREMIUM PORTABLE SPA™

As a leading manufacturer of the inflatable, portable hot tub, Lay-Z-Spa® has become an industry staple that consumers know and trust. From technological innovations to style, Lay-Z-Spa leads the market. High-functioning components and durability are the main priorities of the hot tub line, providing consumers with products they can depend on.



### FREEZE SHIELD® TECHNOLOGY COMFORT IN THE COLD

Freeze Shield® successfully equips the hot tub for year-round, all-weather use. Designed with innovative winterizing technology and an improved material, these hot tubs automatically increase water circulation and heating when temperatures are low to prevent the inner parts from damage.



### INCREASED ENERGY EFFICIENCY HIGH HEAT RETENTION, LOW ELECTRICITY USE

The EnergySense® thermal covers and liners retain more heat than PVC material alone. This allows the hot tub to heat up faster and stay hotter longer, leading to as much as 40-60% higher energy-efficiency.

# MATERIAL TECHNOLOGY

## INTERIOR

### PVC CONSTRUCTION

#### ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.

### MAXHOLD™ CONSTRUCTION

#### PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.

### THERMACORE™ CONSTRUCTION

#### EXCEPTIONAL STABILITY

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.




## EXTERIOR

### TRITECH™ MATERIAL

#### 3-LAYER STRENGTH

This exclusive formula of mesh encased in PVC offers three layers of puncture, abrasion and stretch resistance to protect the hot tub.



# PUMP TECHNOLOGY

Every Lay-Z-Spa hot tub set comes with a multi-function pump that inflates the hot tub, heats the water and runs the filtration system. Each hot tub is assembled using the pump, no additional tools required!

## HIGH-TECH COMPONENTS AND DECREASED NOISE

**EFFICIENT • DURABLE • RELIABLE**

The internal pump components are designed to work efficiently, while reducing the noise level as much as possible during use. Engineered with a rotor and blade, our pumps are specifically designed to have a soft internal connection, reducing the noise.



## ADVANCED HEATING SYSTEM

By using advanced materials to create our heating mechanism, we ensure efficient temperature control. The internal structure is protected by six layers of insulation to prevent electrical damage.

## ULTRAFIT™ PUMP SPACE-SAVING SOLUTION

Some of our AirJet™ hot tub sets feature the UltraFit pump - a multi-function pump that is built directly into the liner. With all of the same functions as our standard pump, the UltraFit version saves valuable backyard space, expedites the installation process, and looks sleek and modern.



# MASSAGE TECHNOLOGY

## AIRJET™ SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing air into the water, surrounding you with a calming bubble massage.



## HYDROJET™ SYSTEM

Enjoy a deeper massage with the HydroJet System! Along with the bubble massage, there are a few adjustable nozzles next to the pump that release a more targeted massage.



## HYDROJET PRO™ SYSTEM

HydroJet Pro is the best of both worlds! Adjustable nozzles along the inside walls of the hot tub release soothing jetstreams of water, while jets along the bottom release a calming flow of air bubbles specifically targeting your feet and back.



# PRODUCT SAFETY

## SAFETY IS OUR TOP PRIORITY WHEN DESIGNING AND PRODUCING OUR INFLATABLE HOT TUBS.

We are consistently upgrading our products to ensure that consumer safety is never compromised. Currently, Lay-Z-Spa is the only brand on the market that uses this exclusive GDS & GLEDS technology.

### GDS

#### GROUND DETECTION SYSTEM

With safety as a priority, every hot tub is equipped with our advanced, market-leading Ground Detection System, which monitors the energy supply to ensure it is being used safely. If the system detects an issue, the pump alerts the user and does not allow further use until the power supply is correctly earthed.



### GLEDS

#### GROUND LINE ELECTRIC DETECTION SYSTEM

Once the hot tub is plugged in, the system continuously monitors the ground of the electrical system in the house and will advise the user with the E18 code if there is other electricity detected.



# DIGITAL CONTROL PANEL

## ONE-TOUCH ADJUSTMENTS

Every hot tub is equipped with a digital control panel that can be raised up or down to conveniently adjust from inside or outside the tub\*. The intuitive, one-touch buttons offer adjustments to the temperature, massage bubbles, filtration system and time settings.

\* Digital control panel will vary slightly depending on type of hot tub



# SMARTPHONE APP CONTROL

## DELIVERING CONVENIENCE AND COMFORT

With the Bestway Connect™ app, control is right in the palm of your hand. This innovation makes the Lay-Z-Spa one of the most convenient in the market. Compatible with smart devices, the app lets you control the hot tub's temperature, run the filtration system, and control the massage system with just the touch of a button! Plus, you can even set a timer for the temperature and filtration systems.



### HEAT CONTROL

Create, save and edit multiple timers to apply the perfect temperature anytime throughout the week



### SET TIMER

Set the Power-Saving Timer to only run the system during the selected times



### FILTRATION

Allows for multiple timers to be created for water filter activation



# SETUP & MAINTENANCE

WITH THE KEY TOOLS ALREADY INCLUDED,  
LAY-Z-SPA SETUP IS QUICK & EASY!

AFTER FINDING A FLAT AREA FOR THE HOT TUB, IT'S AS EASY AS 1, 2, 3!

1. ASSEMBLE the hot tub, inflating and connecting the pump if necessary
2. FILL the hot tub with water to the indicated level.
3. ENJOY the relaxing massage!

Also included with each hot tub is a chemical dispenser and filter cartridge to keep the water sparkling. Maintaining clean and healthy hot tub water is important for the user's experience, and also extends the longevity of the hot tub.

For quick and easy transportation and storage, each hot tub is equipped with a deflation function.



# PLANOGRAM



PACKAGING NOT TO SCALE

# 2027 LAY-Z-SPA MATRIX

PLANIGRAM

## STANDARD SERIES

## MAXHOLD™ SERIES

|                               |    |    |    |    |   |    |    |    |    |    |    |    |
|-------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ITEM NUMBER                   | 600IC                                                                               | 600ID                                                                               | 600IU                                                                               | 600S9                                                                               | 600IF                                                                               | 600IG                                                                                 | 600IH                                                                                 | 600IJ                                                                                 | 600IN                                                                                 | 600IP                                                                                 | 600IK                                                                                 | 600IM                                                                                 |
| EXTERNAL CONSTRUCTION         | Tritech®                                                                            | Tritech®                                                                            | Tritech®                                                                            | Tritech®                                                                            | Tritech®                                                                            | Tritech®                                                                              | Tritech®                                                                              | Tritech®                                                                              | Tritech®                                                                              | Tritech®                                                                              | Tritech®                                                                              | Tritech®                                                                              |
| INTERNAL BEAMS                | PVC                                                                                 | PVC                                                                                 | PVC                                                                                 | PVC                                                                                 | PVC                                                                                 | MaxHold™                                                                              | MaxHold™                                                                              | MaxHold™                                                                              | MaxHold™                                                                              | MaxHold™                                                                              | MaxHold™                                                                              | MaxHold™                                                                              |
| MASSAGE TECHNOLOGY            | AirJet™                                                                             | AirJet™                                                                             | AirJet™                                                                             | AirJet™                                                                             | AirJet™                                                                             | AirJet™                                                                               | AirJet™                                                                               | AirJet™                                                                               | AirJet™                                                                               | AirJet™                                                                               | AirJet™                                                                               | AirJet™                                                                               |
| PUMP TYPE                     | External Pump                                                                       | External Pump                                                                       | External Pump                                                                       | External Pump                                                                       | External Pump                                                                       | UltraFit™ Pump                                                                        | UltraFit™ Pump                                                                        | UltraFit™ Pump                                                                        | UltraFit™ Pump                                                                        | UltraFit™ Pump                                                                        | UltraFit™ Pump                                                                        | UltraFit™ Pump                                                                        |
| ENERGY-EFFICIENT CONSTRUCTION | •                                                                                   | •                                                                                   | •                                                                                   |                                                                                     |                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     |
| USER CAPACITY                 | 2-4 Adults                                                                          | 4-6 Adults                                                                          | 4-6 Adults                                                                          | 4-6 Adults                                                                          | 4-6 Adults                                                                          | 4-6 Adults                                                                            | 4-6 Adults                                                                            | 6-8 Adults                                                                            | 4-6 Adults                                                                            | 5-7 Adults                                                                            | 4-6 Adults                                                                            | 5-7 Adults                                                                            |
| PRINT                         | Dark Blue                                                                           | Dark Green                                                                          | Dark Green                                                                          | Black Waves                                                                         | Marble                                                                              | Terracotta                                                                            | Blue                                                                                  | Grey                                                                                  | Grey Rattan                                                                           | Brown Rattan                                                                          | Brown Marble                                                                          | Sand Marble                                                                           |
| SHAPE                         | Round                                                                               | Round                                                                               | Square                                                                              | Round                                                                               | Square                                                                              | Round                                                                                 | Square                                                                                | Round                                                                                 | Round                                                                                 | Round                                                                                 | Square                                                                                | Square                                                                                |
| CONSTRUCTED SIZE              | 1.80 m x 66 cm<br>(71" x 26")                                                       | 1.96 m x 66 cm<br>(77" x 26")                                                       | 1.80 m x 1.80 m<br>x 66 cm<br>(71" x 71" x 26")                                     | 1.96 m x 66 cm<br>(77" x 26")                                                       | 1.80 m x 1.80 m<br>x 66 cm<br>(71" x 71" x 26")                                     | 1.96 m x 71 cm<br>(77" x 28")                                                         | 1.80 m x 1.80 m<br>x 71 cm<br>(71" x 71" x 28")                                       | 2.36 m x 71 cm<br>(93" x 28")                                                         | 1.96 m x 71 cm<br>(77" x 28")                                                         | 2.16 m x 71 cm<br>(85" x 28")                                                         | 1.80 m x 1.80 m<br>x 71 cm<br>(71" x 71" x 28")                                       | 2.01 m x 2.01 m<br>x 71 cm<br>(79" x 79" x 28")                                       |
| INNER SIZE                    | 1.32 m (52")                                                                        | 1.48 m (59")                                                                        | 1.32 m x 1.32 m<br>(52" x 52")                                                      | 1.48 m (59")                                                                        | 1.32 m x 1.32 m<br>(52" x 52")                                                      | 1.51 m (59")                                                                          | 1.30 m x 1.30 m<br>(51" x 51")                                                        | 1.91 m (75")                                                                          | 1.51 m (59")                                                                          | 1.71 m (67")                                                                          | 1.30 m x 1.30 m<br>(51" x 51")                                                        | 1.51 m x 1.51 m<br>(59" x 59")                                                        |
| WATER CAPACITY                | 669 L (177 gal.)                                                                    | 908 L (240 gal.)                                                                    | 778 L (205 gal.)                                                                    | 908 L (240 gal.)                                                                    | 778 L (205 gal.)                                                                    | 980 L (258 gal.)                                                                      | 840 L (222 gal.)                                                                      | 1,440 L<br>(380 gal.)                                                                 | 980 L (258 gal.)                                                                      | 1,260 L<br>(333 gal.)                                                                 | 840 L (222 gal.)                                                                      | 1,180 L (312 gal.)                                                                    |
| NUMBER OF JETS                | 120                                                                                 | 140                                                                                 | 140                                                                                 | 140                                                                                 | 140                                                                                 | 140                                                                                   | 140                                                                                   | 190                                                                                   | 140                                                                                   | 180                                                                                   | 140                                                                                   | 180                                                                                   |
| FEATURES                      |  |  |  |  |  |  |  |  |  |  |  |  |
| PAGE                          | 22                                                                                  | 26                                                                                  | 30                                                                                  | 34                                                                                  | 38                                                                                  | 46                                                                                    | 50                                                                                    | 54                                                                                    | 58                                                                                    | 62                                                                                    | 66                                                                                    | 70                                                                                    |

# FEATURES KEY:



Smartphone App



Freeze Shield or Polar-Shield



LED Lights



Foot Massage



IS Integrated Seats

## THERMACORE™ SERIES

## ICE BATH SERIES

| DEMPSEY<br>ART HYDROJET™ 6             | CASO<br>SMART HYDROJET™ 6                     | SANTORINI<br>SMART<br>HYDROJET PRO™ 7   | MAJESTY<br>SMART<br>HYDROJET PRO™ 7             | SAN FRANCISCO<br>SMART<br>HYDROJET PRO™ 7            | CARRARA<br>SMART AIRJET™ 8     | CARRARA<br>SMART AIRJET™ 6                             | TOKYO<br>SMART AIRJET™ 7       | HYGONOS<br>SMART HYDROJET™ 6           | GLACIAL ZEN™<br>ICE BATH POD   | GLACIAL DR™<br>ICE BATH POD      | GLACIAL DR™<br>ICE BATH TUB                       | GLACIAL DR™<br>ICE BATH TUB                   |
|----------------------------------------|-----------------------------------------------|-----------------------------------------|-------------------------------------------------|------------------------------------------------------|--------------------------------|--------------------------------------------------------|--------------------------------|----------------------------------------|--------------------------------|----------------------------------|---------------------------------------------------|-----------------------------------------------|
| 6001S                                  | 6001R                                         | 6001T                                   | 6001U                                           | 6001O                                                | 6001V                          | 6006C                                                  | 6001W                          | 6005X                                  | 6003R                          | 6005Z                            | 6005B                                             | 6005K                                         |
| Tritech®                               | Tritech®                                      | Tritech®                                | Tritech®                                        | Tritech®                                             | Tritech®                       | Tritech®                                               | Tritech®                       | Tritech®                               | Tritech®                       | Tritech®                         | Tritech®                                          | FortiFibre®                                   |
| MaxHold™                               | MaxHold™                                      | MaxHold™                                | MaxHold™                                        | MaxHold™                                             | ThermaCore™                    | ThermaCore™                                            | ThermaCore™                    | ThermaCore™                            |                                |                                  |                                                   |                                               |
| HydroJet™                              | HydroJet™                                     | HydroJet Pro™                           | HydroJet Pro™                                   | HydroJet Pro™                                        | AirJet™                        | AirJet™                                                | AirJet™                        | HydroJet™                              |                                |                                  |                                                   |                                               |
| External Pump                          | External Pump                                 | External Pump                           | External Pump                                   | External Pump                                        | UltraFit™ Pump                 | UltraFit™ Pump                                         | UltraFit™ Pump                 | External Pump                          |                                |                                  |                                                   |                                               |
| .                                      | .                                             | .                                       | .                                               | .                                                    | .                              | .                                                      | .                              | .                                      |                                |                                  |                                                   |                                               |
| 4-6 Adults                             | 4-6 Adults                                    | 5-7 Adults                              | 5-7 Adults                                      | 5-7 Adults                                           | 4-6 Adults                     | 4-6 Adults                                             | 5-7 Adults                     | 4-6 Adults                             | 1 Adult                        | 1 Adult                          | 2 Adults                                          | 2 Adults                                      |
| Brown                                  | Brown Rattan                                  | Grey                                    | Burgundy                                        | Grey Marble                                          | Grey Stone                     | Green                                                  | Brown Wood                     | Brown                                  | Black                          | Gray Marble                      | Gray Marble                                       | Black Stone                                   |
| Round                                  | Square                                        | Round                                   | Square                                          | Square                                               | Round                          | Square                                                 | Round                          | Round                                  | Round                          | Round                            | Oval                                              | Oval                                          |
| 96 m x 71 cm<br>(77" x 28")            | 180 m x 180 m<br>x 71 cm<br>(71" x 71" x 28") | 216 m x 90 cm<br>(85" x 31.5")          | 201 m x 201 m<br>x 80 cm<br>(79" x 79" x 31.5") | 230 m x 230 m<br>x 71 cm<br>(90.5" x 90.5"<br>x 28") | 170 m x 65 cm<br>(67" x 25.5") | 164 m x 164 m x<br>65 cm<br>(64.5" x 64.5"<br>x 25.5") | 190 m x 70 cm<br>(75" x 27.5") | 170 m x 65 cm<br>(67" x 25.5")         | 78 cm x 74 cm<br>(29.5" x 29") | 90 cm x 80 cm<br>(35.5" x 31.5") | 150 m x 90 cm<br>x 65 cm<br>(59" x 35.5" x 25.5") | 152 m x 92 cm<br>x 71 cm<br>(60" x 36" x 28") |
| 1.46 m (57")                           | 1.90 m x 1.30 m<br>(61" x 51")                | 1.66 m (65")                            | 1.51 m x 1.51 m<br>(59" x 59")                  | 1.80 m x 1.80 m<br>(71" x 71")                       | 1.50 m (59")                   | 1.40 m x 1.40 m<br>(55" x 55")                         | 1.70 m (67")                   | 1.50 m (59")                           | 54 cm (21")                    | 80 cm (23.5")                    | 49 cm (19")                                       | 1.28 m x 68 cm<br>(50" x 27")                 |
| 180 L (214 gal.)                       | 795 L (210 gal.)                              | 1,190 L (314 gal.)                      | 1,050 L (277 gal.)                              | 1,180 L (312 gal.)                                   | 850 L (225 gal.)               | 948 L (250 gal.)                                       | 1,250 L (331 gal.)             | 850 L (225 gal.)                       | 232 L (61 gal.)                | 253 L (67 gal.)                  | 431 L (114 gal.)                                  | 420 L (111 gal.)                              |
| 4 Jetstream<br>Nozzles<br>and 140 Jets | 4 Jetstream<br>Nozzles<br>and 140 Jets        | 10 Jetstream<br>Nozzles<br>and 180 Jets | 10 Jetstream<br>Nozzles<br>and 180 Jets         | 10 Jetstream<br>Nozzles<br>and 180 Jets              | 140                            | 140                                                    | 180                            | 4 Jetstream<br>Nozzles<br>and 140 Jets |                                |                                  |                                                   |                                               |
|                                        |                                               |                                         |                                                 |                                                      |                                |                                                        |                                |                                        |                                |                                  |                                                   |                                               |
| 74                                     | 76                                            | 82                                      | 86                                              | 90                                                   | 96                             | 100                                                    | 104                            | 108                                    | 114                            | 116                              | 118                                               | 120                                           |

# STANDARD

A photograph of a modern outdoor patio. In the foreground, a white hot tub is partially visible, with steam rising from it. To the right of the hot tub is a grey, rectangular outdoor heater. The patio is paved with light-colored tiles. In the background, there are three wooden lounge chairs with light-colored cushions, a potted plant, and a modern house with large windows and a black lamp.

## PVC CONSTRUCTION

ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.

# SERIES





# MIAMI AIRJET 4 6001C

- Soothing AirJet™ bubble massage system (120 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

## CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch




# MIAMI AIRJET 4 600°C

## SPECIFICATIONS

|                   |                                       |
|-------------------|---------------------------------------|
| WATER CAPACITY    | 669 L (177 GAL.)                      |
| INFLATED SIZE     | 180 M X 66 CM (71" X 26")             |
| INNER SIZE        | 132 M (52")                           |
| FILLED WEIGHT     | 699 KG (1,541 LBS)                    |
| RATING            | 220-240V - 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1325 L/H (350 GAL./H)                 |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)         |
| CERTIFICATION     | CE/GS                                 |
| PACK/GROSS WEIGHT | 1 EA, 38.44 KG (84.74 LBS)            |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



### TRITECH® - WALL AND TOP-RING

The outer surface of this hot tub is constructed with premium Tritech material, providing superior durability, stretch resistance and structural stability.



### ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT PENDING).





AIRJET<sup>™</sup>  
MASSAGE SYSTEM



CAPACITY  
2-4 PEOPLE



FREEZE  
SHIELD<sup>®</sup>





# MIAMI

## AIRJET 6 6001D

- Soothing AirJet® bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch




# MIAMI AIRJET 6 600ID

## SPECIFICATIONS

|                   |                                      |
|-------------------|--------------------------------------|
| WATER CAPACITY    | 908 L (240 GAL.)                     |
| INFLATED SIZE     | 1.96 M X 66 CM (77" X 26")           |
| INNER SIZE        | 1.48 M (58")                         |
| FILLED WEIGHT     | 942 KG (2,077 LBS)                   |
| RATING            | 220-240V~ 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL./H)               |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)        |
| CERTIFICATION     | CE/GS                                |
| PACK/GROSS WEIGHT | 1 EA., 41.94 KG (92.46 LBS)          |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



### TRITECH® - WALL AND TOP RING


The outer surface of this hot tub is constructed with premium Tritech material, providing superior durability, stretch resistance and structural stability.



### ENERGYSense® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT PENDING).





  
AIRJET<sup>™</sup>  
MASSAGE SYSTEM

  
CAPACITY  
4-6 PEOPLE

  
FREEZE  
SHIELD<sup>™</sup>





# IBIZA

AIRJET 6  
6002U

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

## CONTENTS


- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



### SPECIFICATIONS

|                   |                                         |
|-------------------|-----------------------------------------|
| WATER CAPACITY    | 778 L (206 GAL.)                        |
| INFLATED SIZE     | 180 M X 180 M X 66 CM (71" X 71" X 26") |
| INNER SIZE        | 132 M X 132 M (52" X 52")               |
| FILLED WEIGHT     | 812 KG (1,790 LBS)                      |
| RATING            | 220-240V ~ 50HZ, 2050W AT 20°C (68°F)   |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL./H)                  |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)           |
| CERTIFICATION     | CE/GS                                   |
| PACK/GROSS WEIGHT | 1 EA., 42.75 KG (94.25 LBS)             |

### CONSTRUCTION



### FEATURES

#### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



#### TRITECH™ - WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech material, providing superior durability, stretch resistance and structural stability.



#### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT PENDING).






FREEZE  
SHIELD



CAPACITY  
4-6 PEOPLE



AIRJET<sup>®</sup>  
MASSAGE SYSTEM





**COLORFUL  
LED LIGHTS**  
Scan here to see  
how it works!



# HOLLYWOOD

LUXE AIRJET 6  
60059

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Remote-controlled plug-in multicolored LED light shines through the semi-transparent liner to illuminate the water: 
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

## CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 LED light strip
- 4 pillows
- 1 repair patch




# HOLLYWOOD

LUXE AIRJET 6  
60059

## SPECIFICATIONS

|                   |                                      |
|-------------------|--------------------------------------|
| WATER CAPACITY    | 908 L (240 GAL.)                     |
| INFLATED SIZE     | 1.96 M X 66 CM (77" X 26")           |
| INNER SIZE        | 1.48 M (58")                         |
| FILLED WEIGHT     | 938 KG (2,068 LBS)                   |
| RATING            | 220-240V~ 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1,325 L/H (350 GAL./H)               |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)        |
| CERTIFICATION     | CE/GS                                |
| PACK/GROSS WEIGHT | 1 EA., 38.07 KG (83.93 LBS)          |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



### TRITECH™ - WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech material, providing superior durability, stretch resistance and structural stability.



### LED LIGHTS

The included color-changing LED light creates a relaxing glow for added ambiance inside the hot tub, while the semi-transparent outer liner creates an exciting illuminated pattern on the outside.





AIRJET<sup>®</sup>  
MASSAGE SYSTEM




CAPACITY<sup>®</sup>  
4-6 PEOPLE



PADDED  
PILLOWS



FREEZE  
SHIELD<sup>®</sup>





**COLORFUL  
LED LIGHTS**  
Scan here to see  
how it works!



# HOLLYWOOD

LUXE AIRJET 6  
6001F

- Soothing AirJet<sup>®</sup> bubble massage system (140 jets)
- Ultra-strong Fritech<sup>®</sup> walls are stress tested to offer durability
- Freeze Shield<sup>®</sup> automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect<sup>®</sup> dispenser provides a stable level of chlorine throughout the hot tub
- Remote-controlled plug-in multicolored LED light shines through the semi-transparent liner to illuminate the water 
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock-clips

## CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>®</sup> dispenser
- 1 LED light strip
- 4 pillows
- 1 repair patch




# HOLLYWOOD

LUXE AIRJET 6  
6001F

## SPECIFICATIONS

|                   |                                           |
|-------------------|-------------------------------------------|
| WATER CAPACITY    | 778 L (205 GAL.)                          |
| INFLATED SIZE     | 1.80 M X 1.80 M X 66 CM (71" X 71" X 26") |
| INNER SIZE        | 1.32 M X 1.32 M (52" X 52")               |
| FILLED WEIGHT     | 809 KG (1.783 LBS)                        |
| RATING            | 220-240V~ 50HZ, 2050W AT 20°C (68°F)      |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL./H)                    |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)             |
| CERTIFICATION     | CE/GS                                     |
| PACK/GROSS WEIGHT | 1 EA., 38.95 KG (85.87 LBS)               |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



### TRITECH™ - WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech™ material, providing superior durability, stretch resistance and structural stability.



### LED LIGHTS

The included color-changing LED light creates a relaxing glow for added ambiance inside the hot tub, while the semi-transparent outer liner creates an exciting illuminated pattern on the outside.





AY-Z-SPA.  
HOLLYWOOD



AIRJET<sup>™</sup>  
MASSAGE SYSTEM



FREEZE  
SHIELD<sup>™</sup>



CAPACITY  
4-6 PEOPLE




PADDED  
PILLOWS



# *Soak in Serenity*

Let massaging bubbles  
and soothing, toasty water  
relax your cares away.





B

# MAXHOLD™



## MAXHOLD™ CONSTRUCTION PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.

# SERIES

LAY-Z-SPA  
HAWAII



**ULTRAFIT<sup>™</sup>  
PUMP**

Scan here to see  
how it works!



# HAWAII

## SMART AIRJET 6 6001G

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense™ insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritex™ walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 1 repair patch




# HAWAII

SMART AIRJET 6  
6001G

## SPECIFICATIONS

|                   |                                       |
|-------------------|---------------------------------------|
| WATER CAPACITY    | 980 L (259 GAL)                       |
| INFLATED SIZE     | 1.96 M X 71 CM (77" X 28")            |
| INNER SIZE        | 1.51 M (59")                          |
| FILLED WEIGHT     | 1.014 KG (2.235 LBS)                  |
| RATING            | 220-240V ~ 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL./H)                |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)         |
| CERTIFICATION     | CE/GS                                 |
| PACK/GROSS WEIGHT | 1 EA., 41.66 KG (91.84 LBS)           |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit™ design is sleek, modern and saves backyard space.



### MAXHOLD™ — INTERNAL BEAMS & TRITECH™ — WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT PENDING).







**ULTRAFIT<sup>™</sup>  
PUMP**

Scan here to see  
how it works!



**LAY-Z-SPA.**  
HAWAII

# HAWAII

## SMART AIRJET 6 6001H

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense™ insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech™ walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch




# HAWAII

SMART AIRJET 6  
6001H

## SPECIFICATIONS

|                   |                                           |
|-------------------|-------------------------------------------|
| WATER CAPACITY    | 840 L (222 GAL.)                          |
| INFLATED SIZE     | 1.80 M X 1.80 M X 71 CM (71" X 71" X 28") |
| INNER SIZE        | 1.30 M X 1.30 M (51" X 51")               |
| FILLED WEIGHT     | 874 KG (1,926 LBS)                        |
| RATING            | 220-240V - 50HZ, 2050W AT 20°C (68°F)     |
| ACTUAL WATER FLOW | 1,325 L/H (350 GAL./H)                    |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)             |
| CERTIFICATION     | CE/GS                                     |
| PACK/GROSS WEIGHT | 1 EA, 42.10 KG (92.81 LBS)                |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit® design is sleek, modern and saves backyard space.



### MAXHOLD™ — INTERNAL BEAMS & TRITECH™ — WALL AND TOP-RING


MaxHold™ fabric beams are built for stretch-resistance and air-pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).





AIRJET  
MASSAGE SYSTEM



FREEZE  
SHIELD



CAPACITY  
4-6 PEOPLE



SMARTPHONE  
APP





**ULTRAFIT™  
PUMP**

Scan here to see  
how it works!



# HAWAII

## SMART AIRJET 8 6001J

- Soothing AirJet™ bubble massage system (190 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch




# HAWAII

SMART AIRJET 8  
600IJ

## SPECIFICATIONS

|                   |                                       |
|-------------------|---------------------------------------|
| WATER CAPACITY    | 1,440 L (380 GAL)                     |
| INFLATED SIZE     | 2.36 M X 71 CM (93" X 28")            |
| INNER SIZE        | 1.91 M (75")                          |
| FILLED WEIGHT     | 1,482 KG (3,267 LBS)                  |
| RATING            | 220-240V ~ 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL/H)                 |
| HEATING SYSTEM    | APPROX. 1.0-1.5°C/H (2-3°F/H)         |
| CERTIFICATION     | CE/GS                                 |
| PACK/GROSS WEIGHT | 1 EA., 52.37 KG (115.45 LBS)          |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFilt® design is sleek, modern and saves backyard space.



### MAXHOLD™ - INTERNAL BEAMS & TRITECH™ - WALL AND TOP RING


MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with TriTech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT PENDING).





AIRJET<sup>™</sup>  
MASSAGE SYSTEM

CAPACITY  
6-8 PEOPLE

SMARTPHONE  
APP

FREEZE  
SHIELD<sup>™</sup>





**ULTRAFIT™  
PUMP**

Scan here to see  
how it works!



# BALI

## SMART AIRJET® 6 6001N

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense™ insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech™ walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 1 repair patch




# BALI SMART AIRJET 6

## 600IN

### SPECIFICATIONS

|                   |                                       |
|-------------------|---------------------------------------|
| WATER CAPACITY    | 980 L (259 GAL)                       |
| INFLATED SIZE     | 1.96 M X 71 CM (77" X 28")            |
| INNER SIZE        | 1.51 M (59")                          |
| FILLED WEIGHT     | 1.014 KG (2.235 LBS)                  |
| RATING            | 220-240V - 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL./H)                |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)         |
| CERTIFICATION     | CE/GS                                 |
| PACK/GROSS WEIGHT | 1 EA., 41.15 KG (90.72 LBS)           |

### CONSTRUCTION



### FEATURES

#### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit™ design is sleek, modern and saves backyard space.



#### MAXHOLD™ - INTERNAL BEAMS & TRITECH™ - WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



#### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).






  
AIRJET<sup>™</sup>  
MASSAGE SYSTEM

  
CAPACITY  
4-6 PEOPLE

  
SMARTPHONE  
APP



FREEZE  
SHIELD<sup>®</sup>





**ULTRAFIT™  
PUMP**

Scan here to see  
how it works!



# BALI SMART AIRJET 7 6001P

- Soothing AirJet™ bubble massage system (180 jets)
- EnergySense™ insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech™ walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

## CONTENTS

- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 1 repair patch




# BALI SMART AIRJET 7 600IP

## SPECIFICATIONS

|                   |                                      |
|-------------------|--------------------------------------|
| WATER CAPACITY    | 1,260 L (333 GAL)                    |
| INFLATED SIZE     | 2.16 M X 71 CM (85" X 28")           |
| INNER SIZE        | 1.71 M (67")                         |
| FILLED WEIGHT     | 1,298 KG (2,861 LBS)                 |
| RATING            | 220-240V~ 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1,325 L/H (350 GAL./H)               |
| HEATING SYSTEM    | APPROX. 1.0-1.5°C/H (2-3°F/H)        |
| CERTIFICATION     | CE/GS                                |
| PACK/GROSS WEIGHT | 1 EA., 46.71 KG (102.98 LBS)         |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit™ design is sleek, modern and saves backyard space.



### MAXHOLD™ – INTERNAL BEAMS & TRITECH™ – WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT PENDING).





LAY-Z-SPA.  
BALI

AIRJET<sup>™</sup>  
MASSAGE SYSTEM

CAPACITY  
5-7 PEOPLE

SMARTPHONE  
APP

FREEZE  
SHIELD<sup>™</sup>





Scan here to see  
how it works!



# ROME

## SMART AIRJET 6 6001K

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch




# ROME

SMART AIRJET 6  
6001K

## SPECIFICATIONS

|                   |                                           |
|-------------------|-------------------------------------------|
| WATER CAPACITY    | 840 L (222 GAL.)                          |
| INFLATED SIZE     | 1.80 M X 1.80 M X 71 CM (71" X 71" X 28") |
| INNER SIZE        | 1.30 M X 1.30 M (51" X 51")               |
| FILLED WEIGHT     | 874 KG (1,926 LBS)                        |
| RATING            | 220-240V - 50HZ, 2050W AT 20°C (68°F)     |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL./H)                    |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)             |
| CERTIFICATION     | CE/GS                                     |
| PACK/GROSS WEIGHT | 1 EA., 41.61 KG (91.73 LBS)               |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit™ design is sleek, modern and saves backyard space.



### MAXHOLD™ - INTERNAL BEAMS & TRITECH™ - WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air-pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSense™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).





AIRJET<sup>®</sup>  
MASSAGE SYSTEM



FREEZE  
SHIELD



CAPACITY  
4-6 PEOPLE



SMARTPHONE  
APP





**ULTRAFIT<sup>™</sup>  
PUMP**

Scan here to see  
how it works!



LAY-Z-SPA.  
ROME

# ROME

## SMART AIRJET 7 6001M

- Soothing AirJet™ bubble massage system (180 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech™ walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VF)
- 1 ChemConnect™ dispenser
- 1 repair patch




# ROME

SMART AIRJET 7  
600IM

## SPECIFICATIONS

|                   |                                           |
|-------------------|-------------------------------------------|
| WATER CAPACITY    | 1180 L (312 GAL)                          |
| INFLATED SIZE     | 2.01 M X 2.01 M X 71 CM (79" X 79" X 28") |
| INNER SIZE        | 1.51 M X 1.51 M (59" X 59")               |
| FILLED WEIGHT     | 1.219 KG (2.687 LBS)                      |
| RATING            | 220-240V - 50HZ, 2050W AT 20°C (68°F)     |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL/H)                     |
| HEATING SYSTEM    | APPROX. 1.0-1.5°C/H (2-3°F/H)             |
| CERTIFICATION     | CE/GS                                     |
| PACK/GROSS WEIGHT | 1 EA., 47.95 KG (105.71 LBS)              |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit™ design is sleek, modern and saves backyard space.



### MAXHOLD™ = INTERNAL BEAMS & TRITECH™ = WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSense™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).





AIRJET  
MASSAGE SYSTEM



FREEZE  
SHIELD



CAPACITY  
5-7 PEOPLE



SMARTPHONE  
APP





# DOMINICA

SMART HYDROJET 6  
6001S

- Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- EnergySense<sup>®</sup> insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech<sup>®</sup> walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield<sup>®</sup> automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- ChemConnect<sup>®</sup> dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

## CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>®</sup> dispenser
- 4 pillows
- 1 repair patch




# DOMINICA SMART HYDROJET 6 600IS

## SPECIFICATIONS

|                   |                                      |
|-------------------|--------------------------------------|
| WATER CAPACITY    | 810 L (214 GAL.)                     |
| INFLATED SIZE     | 1.96 M X 71 CM (77" X 28")           |
| INNER SIZE        | 1.46 M (57")                         |
| FILLED WEIGHT     | 854 KG (1,883 LBS)                   |
| RATING            | 220-240V~ 50HZ, 2150W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 3,975 L/H (1,050 GAL./H)             |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)        |
| CERTIFICATION     | CE                                   |
| PACK/GROSS WEIGHT | 1 EA. 55.76 KG (122.93 LBS)          |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



### MAXHOLD™ — INTERNAL BEAMS & TRITECH™ — WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).







# CABO

## SMART HYDROJET 6 600TR

- Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- EnergySense<sup>®</sup> insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech<sup>®</sup> walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield<sup>®</sup> automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- ChemConnect<sup>®</sup> dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>®</sup> dispenser
- 4 pillows
- 1 repair patch




# CABO SMART HYDROJET 6 6001R

## SPECIFICATIONS

|                   |                                           |
|-------------------|-------------------------------------------|
| WATER CAPACITY    | 795 L (210 GAL.)                          |
| INFLATED SIZE     | 1.80 M X 1.80 M X 71 CM (71" X 71" X 28") |
| INNER SIZE        | 1.30 M X 1.30 M (51" X 51")               |
| FILLED WEIGHT     | 840 KG (1,852 LBS)                        |
| RATING            | 220-240V~ 50HZ, 2150W AT 20°C (68°F)      |
| ACTUAL WATER FLOW | 3,975 L/H (1,050 GAL./H)                  |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)             |
| CERTIFICATION     | CE                                        |
| PACK/GROSS WEIGHT | 1 EA., 56.46 KG (124.47 LBS)              |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



### MAXHOLD™ – INTERNAL BEAMS & TRITECH™ – WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).





HYDROJET<sup>™</sup>  
MASSAGE SYSTEM



FREEZE  
SHIELD<sup>™</sup>




CAPACITY  
4-6 PEOPLE



SMARTPHONE  
APP



PADDED  
PILLOWS





# SANTORINI

SMART HYDROJET PRO 7  
600IT

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- EnergySense<sup>®</sup> insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech<sup>®</sup> walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield<sup>®</sup> automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect<sup>®</sup> dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors. 
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

## CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>®</sup> dispenser
- 5 pillows
- 2 water-powered LED lights
- 1 repair patch




# SANTORINI

SMART HYDROJET PRO 7  
600IT

## SPECIFICATIONS

|                   |                                      |
|-------------------|--------------------------------------|
| WATER CAPACITY    | 1,190 L (314 GAL)                    |
| INFLATED SIZE     | 2.16 M X 80 CM (85" X 31.5")         |
| INNER SIZE        | 1.66 M (65")                         |
| FILLED WEIGHT     | 1,252 KG (2,760 LBS)                 |
| RATING            | 220-240V~ 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1,325 L/H (350 GAL/H)                |
| HEATING SYSTEM    | APPROX. 1.0-1.5°C/H (2-3°F/H)        |
| CERTIFICATION     | CE                                   |
| PACK/GROSS WEIGHT | 1 EA., 80.41 KG (177.27 LBS)         |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



### MAXHOLD™ — INTERNAL BEAMS & TRITECH™ — WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).



### LED LIGHTS


Water-powered LED lights surround select massage nozzles and switch between 7 colors to add a luxurious feeling to the hot tub environment.



### INTEGRATED SEATS

Comfortable, inflatable seats provide additional comfort for an upgraded hot tub experience.





HYDROJET PRO<sup>™</sup>  
MASSAGE SYSTEM



CAPACITY  
5-7 PEOPLE



SMARTPHONE  
APP



PADDED PILLOWS



FREEZE  
SHIELD<sup>™</sup>





# MALDIVES

## SMART HYDROJET PRO 7 6001U

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- EnergySense<sup>™</sup> insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech<sup>™</sup> walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield<sup>™</sup> automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors 
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

### CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>™</sup> dispenser
- 5 pillows
- 2 water-powered LED lights
- 1 repair patch




# MALDIVES

SMART HYDROJET PRO 7  
600IU

## SPECIFICATIONS

|                   |                                             |
|-------------------|---------------------------------------------|
| WATER CAPACITY    | 1,050 L (277 GAL.)                          |
| INFLATED SIZE     | 2.01 M X 2.01 M X 80 CM (79" X 79" X 31.5") |
| INNER SIZE        | 1.51 M X 1.51 M (59" X 59")                 |
| FILLED WEIGHT     | 1,115 KG (2,458 LBS)                        |
| RATING            | 220-240V ~ 50HZ, 2050W AT 20°C (68°F)       |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL./H)                      |
| HEATING SYSTEM    | APPROX. 1.0-1.5°C/H (2-3°F/H)               |
| CERTIFICATION     | CE                                          |
| PACK/GROSS WEIGHT | 1 EA., 85.05 KG (187.50 LBS)                |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



### MAXHOLD™ – INTERNAL BEAMS & TRITECH™ – WALL AND TOP-RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).



### LED LIGHTS

Water-powered LED lights surround select massage nozzles and switch between 7 colors to add a luxurious feeling to the hot tub environment.



### INTEGRATED SEATS

Comfortable, inflatable seats provide additional comfort for an upgraded hot tub experience.





HYDROJET PRO<sup>™</sup>  
MASSAGE SYSTEM



FREEZE  
SHIELD<sup>™</sup>



CAPACITY  
5-7 PEOPLE



SMARTPHONE  
APP



PADDED  
PILLOWS





# SAN FRANCISCO

SMART HYDROJET PRO 7  
6001Q

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- Jet massage nozzles integrated into the back of the lounges and leg-massage integrated into the single lounge
- EnergySense<sup>®</sup> insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech<sup>®</sup> walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield<sup>®</sup> automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect<sup>®</sup> dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors 
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

## CONTENTS


- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>®</sup> dispenser
- 5 pillows
- 2 water-powered LED lights
- 1 repair patch



### SPECIFICATIONS

|                   |                                                  |
|-------------------|--------------------------------------------------|
| WATER CAPACITY    | 1180 L (312 GAL.)                                |
| INFLATED SIZE     | 2.30 M X 2.30 M X 71 CM<br>(90.5" X 90.5" X 28") |
| INNER SIZE        | 1.80 M X 1.80 M (71" X 71")                      |
| FILLED WEIGHT     | 1,257 KG (2,771 LBS)                             |
| RATING            | 220-240V - 50HZ, 2050W AT 20°C (68°F)            |
| ACTUAL WATER FLOW | 1,325 L/H (350 GAL/H)                            |
| HEATING SYSTEM    | APPROX. 1.0-1.5°C/H (2-3°F/H)                    |
| CERTIFICATION     | CE                                               |
| PACK/GROSS WEIGHT | 1 EA., 97.06 KG (213.98 LBS)                     |

### CONSTRUCTION



### FEATURES

#### MULTIFUNCTION PUMP

The included pump inflates the hot tub, runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



#### MAXHOLD™ - INTERNAL BEAMS & TRITECH™ - WALL AND TOP RING

MaxHold™ fabric beams are built for stretch-resistance and air pressure retention. No matter how many times the hot tub is inflated and deflated, it will retain its intended shape. The outer wall is constructed with Tritech 3-layer material to resist punctures and abrasions. The combination of these two materials promise comfort and longevity.



#### ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs (PATENT-PENDING).



#### LED LIGHTS

Water-powered LED lights surround select massage nozzles and switch between 7 colors to add a luxurious feeling to the hot tub environment.



#### INTEGRATED SEATS

Comfortable, inflatable seats provide additional comfort for an upgraded hot tub experience.





HYDROJET PRO<sup>®</sup>  
MASSAGE SYSTEM



FREEZE  
SHIELD<sup>™</sup>



CAPACITY  
5-7 PEOPLE



SMARTPHONE  
APP



PADDED  
PILLOWS



SPA.  
ISCO



## THERMACORE<sup>®</sup> CONSTRUCTION EXCEPTIONAL STABILITY

ThermaCore<sup>®</sup> foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.

# RE<sup>TM</sup> SERIES





**ULTRAFIT<sup>™</sup>  
PUMP**

Scan here to see  
how it works!



# CARRARA

SMART AIRJET 6  
6001V

- Soothing AirJet™ targeted bubble massage system (140 jets)
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech™ wall cover is stress tested to offer durability
- Freeze-Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

## CONTENTS

- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 4 pillows
- 1 repair patch




# CARRARA

SMART AIRJET 6  
600IV

## SPECIFICATIONS

|                   |                                      |
|-------------------|--------------------------------------|
| WATER CAPACITY    | 850 L (225 GAL)                      |
| CONSTRUCTED SIZE  | 1.70 M X 65 CM (67" X 25.5")         |
| INNER SIZE        | 1.50 M (59")                         |
| FILLED WEIGHT     | 882 KG (1,945 LBS)                   |
| RATING            | 220-240V~ 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1,325 L/H (350 GAL./H)               |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)        |
| CERTIFICATION     | CE/GS                                |
| PACK/GROSS WEIGHT | 1 EA., 44.84 KG (98.85 LBS)          |

## CONSTRUCTION



## FEATURES

### MULTIFUNCTION PUMP

The included pump runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit<sup>®</sup> design is sleek, modern and saves backyard space.



### THERMACORE<sup>®</sup> CONSTRUCTION

ThermaCore<sup>®</sup> hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.



### TRITECH<sup>®</sup> PRINTED WALL LINER

The outer cover of this hot tub is constructed with premium Tritect material, providing superior durability and abrasion protection.





AIRJET<sup>®</sup>  
MASSAGE SYSTEM



CAPACITY  
4-6 PEOPLE



SMARTPHONE  
APP



PADDED PILLOWS



FREEZE  
SHIELD<sup>™</sup>





ULTRAFIT<sup>™</sup>  
PUMP

Scan here to see  
how it works!



# CARRARA

SMART AIRJET 6  
6006C

NEW

- Soothing AirJet™ targeted bubble massage system (140 jets)
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub.
- Ultra-strong Tritech™ wall cover is stress tested to offer durability
- Setup takes 30 minutes with 1-2 people
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

#### CONTENTS


- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 4 pillows
- 1 repair patch



## SPECIFICATIONS

|                   |                                                    |
|-------------------|----------------------------------------------------|
| WATER CAPACITY    | 946 L (250 GAL.)                                   |
| CONSTRUCTED SIZE  | 1.64 M X 1.64 M X 85 CM<br>(64.5" X 64.5" X 25.5") |
| INNER SIZE        | 1.40 M X 1.40 M (55" X 55")                        |
| FILLED WEIGHT     | 1,005 KG (2,216 LBS)                               |
| RATING            | 220-240V ~ 50HZ, 2050W AT 20°C (68°F)              |
| ACTUAL WATER FLOW | 1.325 L/H (350 GAL./H)                             |
| HEATING SYSTEM    | APPROX. 1.5-2°C/H (3-4°F/H)                        |
| CERTIFICATION     | CE/GS                                              |
| PACK/GROSS WEIGHT | 1 EA., 76.67 KG (169.03 LBS)                       |

## CONSTRUCTION



## FEATURES

## MULTIFUNCTION PUMP

The included pump runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit™ design is sleek, modern and saves backyard space.



## THERMACORE™ CONSTRUCTION

ThermaCore™ hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.



## TRITECH™ PRINTED WALL LINER

The outer cover of this hot tub is constructed with premium Tritex material, providing superior durability and abrasion protection.





AIRJET<sup>™</sup>  
MASSAGE SYSTEM



FREEZE  
SHIELD



CAPACITY  
4-6 PEOPLE



SMARTPHONE  
APP



PADDED  
PILLOWS





**ULTRAFIT<sup>™</sup>  
PUMP**  
Scan here to see  
how it works!



# TORONTO

SMART AIRJET 7  
6001W

- Soothing AirJet<sup>®</sup> targeted bubble massage system (180 jets)
- ThermaCore<sup>®</sup> construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong TriTech<sup>®</sup> wall cover is stress tested to offer durability
- Freeze Shield<sup>®</sup> automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit<sup>®</sup> pump built into the liner with flip-up control panel
- Built-in Wi-Fi module; hot tub can be controlled through a phone app
- ChemConnect<sup>®</sup> dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

## CONTENTS


- 1 liner with built-in pump
- 1 cover
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>®</sup> dispenser
- 5 pillows
- 1 repair patch



## SPECIFICATIONS

|                   |                                       |
|-------------------|---------------------------------------|
| WATER CAPACITY    | 1,250 L (331 GAL.)                    |
| CONSTRUCTED SIZE  | 1.90 M X 70 CM (75" X 27.5")          |
| INNER SIZE        | 1.70 M (67")                          |
| FILLED WEIGHT     | 1,288 KG (2,840 LBS.)                 |
| RATING            | 220-240V - 50HZ, 2050W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 1,325 L/H (350 GAL./H)                |
| HEATING SYSTEM    | APPROX. 1.1-1.6°C/H (2.2-3.2°F/H)     |
| CERTIFICATION     | CE/GS                                 |
| PACK/GROSS WEIGHT | 1 EA., 50.58 KG (111.51 LBS.)         |

## CONSTRUCTION



## FEATURES

## MULTIFUNCTION PUMP

The included pump runs the heating and massage system, and activates the filter for water sanitation. Built into the liner of the pump, the UltraFit® design is sleek, modern and saves backyard space.



## THERMACORE® CONSTRUCTION

ThermaCore® hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.



## TRITECH® PRINTED WALL LINER

The outer cover of this hot tub is constructed with premium Tritex material, providing superior durability and abrasion protection.





LAY-Z-SPA.  
TORONTO

AIRJET<sup>®</sup>  
MASSAGE SYSTEM



FREEZE  
SHIELD<sup>®</sup>



CAPACITY  
5-7 PEOPLE



SMARTPHONE  
APP



PADDED PILLOWS



# MYKONOS

SMART HYDROJET 6  
6005X

NEW

- Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech™ wall cover is stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

## CONTENTS


- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 4 pillows
- 1 repair patch



### SPECIFICATIONS

|                   |                                      |
|-------------------|--------------------------------------|
| WATER CAPACITY    | 850 L (225 GAL.)                     |
| CONSTRUCTED SIZE  | 1.70 M X 65 CM (67" X 25.5")         |
| INNER SIZE        | 1.50 M (59")                         |
| FILLED WEIGHT     | 896 KG (1,975 LBS)                   |
| RATING            | 220-240V~ 50HZ, 2150W AT 20°C (68°F) |
| ACTUAL WATER FLOW | 3,600 L/H (950 GAL./H)               |
| HEATING SYSTEM    | APPROX. 1.5-2.0°C/H (3-4°F/H)        |
| CERTIFICATION     | CE                                   |
| PACK/GROSS WEIGHT | 1 EA., 59.34 KG (130.82 LBS)         |

### CONSTRUCTION



### FEATURES

#### MULTIFUNCTION PUMP

The included pump runs the heating and massage system, and activates the filter for water sanitation. With an easy-to-reach control panel and built-in cup holders, the hot tub is designed for ultimate convenience.



#### THERMACORE® CONSTRUCTION

ThermaCore® hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.



#### TRITECH® PRINTED WALL LINER

The outer cover of this hot tub is constructed with premium Trittech material, providing superior durability and abrasion protection.





HYDROJET  
MASSAGE SYSTEM


FREEZE  
SHIELD

CAPACITY  
4-6 PEOPLE

SMARTPHONE  
APP

PADDED PILLOWS

# ICE BATH



## TAKING THE PLUNGE INTO ICE BATHS

RESTORE, REJUVENATE, RECHARGE

Backyard ice baths offer a portable design and durable construction that is great for both newbies and experts.

# SERIES



# GLACIAL ZEN™

ICE BATH POD  
6003R

NEW

- Tritech™ puncture-resistant sidewalls are reliable against weight, strain and movement.
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures.
- Corrosion-resistant galvanized steel frame with frosted finish.
- Setup takes 20 minutes with 1-2 people.

## CONTENTS

- 1 ice bath
- 1 carry bag
- 1 cover
- 1 repair patch

## SPECIFICATIONS

|                      |                             |
|----------------------|-----------------------------|
| WATER CAPACITY (70%) | 232 L (61 GAL.)             |
| PRODUCT SIZE         | 75 CM X 74 CM (29.5" X 29") |
| POOL DEPTH           | 54 CM (21")                 |
| FILLED WEIGHT        | 237 KG (523 LBS)            |
| PACK/GROSS WEIGHT    | 2 EA., 9.75 KG (21.49 LBS)  |

## CONSTRUCTION



## FEATURES

### TRITECH™ – SIDEWALLS

The puncture-resistant, 3-layer Tritech liner is built with Polar-Shield™ weather defense protection to prevent it from freezing or cracking in cold temperatures.



### PORTABLE PLUNGE

Easy to set up and take down, the portable ice bath is bringing body rejuvenation home to both newbies and experts across the world.



### DRAIN VALVE

Drain valve for easy water drainage before dismantling.





# GLACIAL DIP

ICE BATH POD  
6005Z

NEW

- Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant, collapsible galvanized steel frame with frosted finish
- Setup takes 20 minutes with 1-2 people
- Tritech® cover with rope fastener and buckles; doubles as a storage bag
- Compatible with Bestway® filter pumps (not included)
- Drain valve

## CONTENTS

- 1 ice bath
- 1 cover
- 1 repair patch

## SPECIFICATIONS

|                      |                               |
|----------------------|-------------------------------|
| WATER CAPACITY (75%) | 253 L (67 GAL.)               |
| PRODUCT SIZE         | 90 CM X 80 CM (35.5" X 31.5") |
| POOL DEPTH           | 60 CM (23.5")                 |
| FILLED WEIGHT        | 259 KG (571 LBS)              |
| PACK/GROSS WEIGHT    | 2 EA., 15.23 KG (33.58 LBS)   |

## CONSTRUCTION



## FEATURES

### TRITECH® – SIDEWALLS

The puncture-resistant, 3-layer Tritech liner is built with Polar-Shield™ weather defense protection to prevent it from freezing or cracking in cold temperatures.



### PORTABLE PLUNGE

Easy to set up and take down with the innovative collapsible frame, the portable ice bath is bringing body rejuvenation home to both newbies and experts across the world.



### DRAIN VALVE

Drain valve for easy water drainage before dismantling.





# GLACIAL DIP™ ICE BATH TUB 6006B

NEW

- Tritech™ puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant, collapsible galvanized steel frame with frosted finish
- Setup takes 30 minutes with 1-2 people
- Tritech™ cover with rope fastener and buckles; doubles as a storage bag
- Compatible with Bestway® filter pumps (not included)
- Drain valve

## CONTENTS

- 1 ice bath
- 1 cover
- 1 repair patch

## FEATURES

### TRITECH™ — SIDEWALLS

The puncture-resistant, 3-layer Tritech liner is built with Polar-Shield™ weather defense protection to prevent it from freezing or cracking in cold temperatures.



### PORTABLE PLUNGE

Easy to set up and take down with the innovative collapsible frame, the portable ice bath is bringing body rejuvenation home to both newbies and experts across the world.



### DRAIN VALVE

Drain valve for easy water drainage before dismantling.




## SPECIFICATIONS

|                      |                                                |
|----------------------|------------------------------------------------|
| WATER CAPACITY (75%) | 431 L (114 GAL.)                               |
| PRODUCT SIZE         | 150 M X 90 CM X 65 CM<br>(59" X 35.5" X 25.5") |
| POOL DEPTH           | 49 CM (19")                                    |
| FILLED WEIGHT        | 440 KG (971 LBS.)                              |
| PACK/GROSS WEIGHT    | 2 EA., 22.11 KG (48.74 LBS)                    |

## CONSTRUCTION





# GLACIAL DIP™ ICE BATH TUB NEW

6005K

- FortiFiber™ drop stitch walls are rigid, durable and lightweight
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Takes 5 minutes to inflate by hand pump with 1 person
- Reinforced Tritech™ cover with locking clips
- Compatible with Bestway 1,249 L/h (330 gal./h) filter pumps (not included)
- Compatible with chiller pumps with pipes of G3/4"-14 (BSP standard) and NPT 3/4"-11 (NPT standard) internal thread
- Quick inflation/deflation air valve
- Drain pipe

## CONTENTS

- 1 ice bath
- 1 cover
- 1 carry bag
- 1 hand pump
- 1 repair patch

## FEATURES

### FORTIFIBER™ – SIDEWALLS

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided bath.



### CHILLER ATTACHMENT

Featuring hook-ups for many chillers on the market, this Ice bath is built for convenient repeated use.



### DRAIN PIPE

Drain pipe for easy water drainage before dismantling.



## SPECIFICATIONS

|                   |                                             |
|-------------------|---------------------------------------------|
| WATER CAPACITY    | 420 L (111 GAL.)                            |
| PRODUCT SIZE      | 1.52 M X 92 CM X 71 CM<br>(60" X 36" X 28") |
| INNER SIZE        | 1.28 M X 68 CM (50" X 27")                  |
| POOL DEPTH        | 52 CM (20")                                 |
| FILLED WEIGHT     | 433 KG (955 LBS)                            |
| PACK/GROSS WEIGHT | 1 EA., 16.03 KG (35.34 LBS)                 |

## CONSTRUCTION





POLAR-SHIELD™




NO TOOLS  
NEEDED



CAPACITY  
2 PEOPLE




ICE NOT  
INCLUDED



# XTRAS

## ACCESSORIES TO COMPLEMENT YOUR HOT TUB

Take the dirty work out of hot tub maintenance with the wide variety of accessory options that Bestway® offers.





**NEW  
DESIGN**

## RECHARGEABLE UNDERWATER VACUUM

**60327**

- Rechargeable battery-powered pump creates suction, without the use of hoses or electrical cords
- Consistent performance for 50 minutes
- Charge time: 4-5 hours
- Simple press-button operation
- Ideal for hot tubs and small pools
- Pivoting suction head with wheels and brushes
- Debris is collected in an easy-to-access and easy-to-empty stainless steel filter
- Full color box
- 4 Ea. 5.22 kg (11.51 lbs)

### CONTENTS

- 1 vacuum
- 1 USB charging cable

## ALL IN ONE TOOL SET

**60310**

- Full color box
- 8 Ea. 7.30 kg (16.08 lbs)

### 1. SCOOP

- Bumper protects hot tub surface
- Round shaped design fits the contours of the hot tub interior
- Deep net to collect debris
- Handheld or connects to standard telescopic pole

### 2. SCRUBBING MITT

- Scrub along hot tub water line
- Latex glove bonded with scrubber pad

### 3. BRUSH

- Bumper and nylon bristles protect hot tub's surface
- Handheld or connects to standard telescopic pole

### CONTENTS

- 1 scoop
- 1 brush
- 1 scrubbing mitt



• 24 Ea

## POOL & SPA TEST STRIPS

**58142**

- 4 cm x 9.50 cm / 1.50" x 3.75"
- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 24-month shelf life
- Full color box
- 24 Ea., 1.37 kg (3.02 lbs)

### CONTENTS

- 50 test strips



• 24 Ea

## POOL & SPA SALTWATER TEST STRIPS

**58767**

- 3.55 cm x 3.30 cm x 10.10 cm / 1.4" x 1.3" x 4"
- Uses an instant color-match system to measure salt levels (0-8,000 ppm)
- 18-month shelf life
- Full color box
- 24 Ea., 1.27 kg (2.80 lbs)

### CONTENTS

- 25 test strips



• 24 Ea

## FILTER CARTRIDGE (VI)

**60311**

- 10.6 cm x 8.0 cm / 4.2" x 3.1"
- Easy to clean
- Shrink wrapped with insert card
- 12 Sets, 2.79 kg (6.15 lbs)

### CONTENTS

- 2 filter cartridges



## HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR

**60340**

- Chlorine Output: 0.5 g/h
- Compatible with pools and hot tubs up to 1,400 L (369 gal.) in capacity
- Built-in rechargeable battery runs for approximately 8 hours & recharges in 5-8 hours
- Uses salt to produce chlorine that keeps the water clean while being gentle on skin, eyes and hair
- Easy-to-use, one-touch control panel
- Timer runs 1-8 hours, in increments of 1 hour; chlorinator will run every 24 hours for the set amount of time
- Floating design; no assembly needed
- Electrode lifespan alert notifies you when the electrode needs attention
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)
- Full color box
- 1 Ea., 1.43 kg (3.15 lbs)

### CONTENTS

- 1 chlorinator
- 50 3-in-1 test strips
- 25 saltwater test strips



## HOT TUB SEAT

60321

- 40.8 cm x 31.5 cm x 20 cm / 16.06" x 12.40" x 7.87"
- Firm, sturdy hot tub seat is comfortable for hours of relaxation
- Seat legs can be adjusted to a custom height - from 8-12 cm (3.15"-4.72")
- Weighted seats will remain at the bottom of the hot tub
- Full color box
- 2 Ea., 5.50 kg (12.13 lbs)

### CONTENTS

- 1 seat



## PILLOW

60307

- 25 cm x 19.5 cm x 17.5 cm / 9.8" x 7.7" x 6.9"
- Soft pillow provides head and neck support
- Organic PU foam is waterproof and resistant to chemicals and odors
- Compatible with all hot tubs with a wall thickness between 20-27 cm (7.9"-10.6")
- Easy to clean
- Full color box
- 4 Sets., 3.67 kg (8.09 lbs)

### CONTENTS

- 2 pillows



## PADDED PILLOW

60316

- 23 cm x 13 cm x 5 cm / 9" x 5" x 2"
- Soft pillow provides head and neck support
- Adjustable strap drapes over the side of the hot tub, using the balance weight to keep it in place
- Compatible with all Lay-Z-Spas
- Comfortable sponge pillow is covered with washable mesh fabric
- Full color box
- 12 Sets., 4.14 kg (9.13 lbs)

### CONTENTS

- 2 pillows



NEW  
DESIGN

## DRINK HOLDER

60306

- 35 cm x 23.2 cm x 20.5 cm / 13.8" x 9.1" x 8.1"
- Keep beverages or snacks close by while you relax
- Position anywhere on the top of hot tub sidewall
- Compatible with hot tubs with a wall thickness between 20-27 cm (7.9"-10.6")
- Full color box
- 12 Ea. 8.78 kg (19.36 lbs)

### CONTENTS

- 2 drink holders
- 1 tray

## 4-IN-1 ACCESSORY TRAY

60337

- 33 cm x 30 cm x 18 cm / 13" x 11.8" x 7.1"
- Multi-function tray with a table, splash-proof storage compartment, towel hangers and tablet holder
- Legs can be adjusted to a custom width depending on wall thickness - from 5-25 cm (2"-9.8")
- Compatible with all Lay-Z-Spas
- Full-color box
- 2 Ea. 3.80 kg (8.38 lbs)

### CONTENTS

- 1 tray



Table



Storage  
Compartment



Towel  
Hangers



Tablet  
Holder



## SOOTHING LED WATERFALL

**60322**

• 46 cm x 17 cm x 10.4 cm / 18.11" x 6.69" x 4.09"

• Compatible with Bestway AirJet™ hot tubs

• LED light alternates between 7 colors:



• IP68 waterproof rating - protects from powerful streams of water & dust

• 2 hours of run time with auto-shutoff feature

• Magnetic attachment system for easy setup

• One-touch operation: simply press bottom button

• Uses 3 AAA batteries (not included)

• Full color box

• 4 Ea., 8.84 kg (4.01 lbs)

### CONTENTS

• 1 LED waterfall

## 7-COLOR LED LIGHT

**60303**

• 9.2 cm x 6.2 cm / 3.6" x 2.4"

• Uses 3 AAA batteries (not included)

• IP68 waterproof

• LED light alternates between 7 colors:



• 2 hours of run time with auto-shutoff feature

• One-touch operation: simply press top button

• Full color box

• 6 Ea., 0.98 kg (2.16 lbs)

### CONTENTS

• 1 LED Light

## FLOOR PROTECTOR

**60334**

• 1.96 m x 1.96 m / 77" x 77"

• Compatible with all hot tubs, multiple sets may be needed for hot tubs larger than 1.96 m x 1.96 m (77" x 77")

• Durable polyethylene material that provides protection under the hot tub

• Includes additional 46.4 cm x 36.3 cm (18.3" x 14.3") mat for under the hot tub heater

• Attachable pieces for straight edges

• Shrink wrapped with insert card

• 4 Ea., 10.01 kg (22.07 lbs)

### CONTENTS

• 17 connectable protector pieces



## NEW DESIGN

### CANOPY

60304

- 1.83 m x 94 cm x 1.09 m / 6' x 37" x 43"
- Compatible with Bestway hot tubs - round sized 1.70 - 2.36 m (5'7" - 7'9") and square sized 1.80 m (5'11")
- UV-protected fabric
- High density, ventilated mesh windows
- 2 removable guy lines to provide stability
- Full color box
- 3 Ea., 4.09 kg (9.02 lbs)

#### CONTENTS

- 1 tent
- 3 poles
- 2 guy lines
- 1 storage bag



## NEW DESIGN

### DOMÉ

60305

- 3.90 m x 3.90 m x 2.55 m / 12'9" x 12'9" x 8'4"
- Compatible with hot tubs or pools up to 3.66 m (12') diamet
- UV-protected fabric
- 4 large inside pockets to store personal items
- 4 detachable fabric and mesh doors, suitable for both winter and summer
- Doubles as a gazebo for use in the garden or backyard
- Setup time: 15 min
- Full color box
- 2 Ea., 34.36 kg (75.75 lbs)

#### CONTENTS

- 1 tent
- 4 detachable fabric doors
- 4 detachable mesh doors
- 1 carry bag






## ROUND ENERGYSENSE® THERMAL HOT TUB COVERS

- Increases energy efficiency of the hot tub
- Tritech® waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full color box

### CONTENTS

- 1 thermal cover




| ITEM # | SIZE                            | COMPATIBILITY                                                                                                   | WEIGHT                      |
|--------|---------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------|
| 60317  | 1.87 m x 83 cm /<br>74" x 25"   | Compatible with round hot tubs with diameters of 1.80 m (71") and heights of 66 cm (26")                        | 1 Ea., 7.38 kg (16.27 lbs)  |
| 60318  | 1.99 m x 88 cm /<br>78" x 27"   | Compatible with round hot tubs with diameters of 1.96 m (77") and heights of 71 cm (28")                        | 1 Ea., 7.72 kg (17.02 lbs)  |
| 60326  | 2.28 m x 73 cm /<br>90" x 29"   | Compatible with round hot tubs with diameters of 2.16 m (85") and heights between 71 cm (28") and 80 cm (31.5") | 1 Ea., 10.42 kg (22.97 lbs) |
| 60331  | 2.43 m x 70 cm /<br>96" x 27.5" | Compatible with round hot tubs with diameters of 2.36 m (93") and heights of 71 cm (28")                        | 1 Ea., 11.60 kg (25.57 lbs) |

## SQUARE ENERGYSENSE® THERMAL HOT TUB COVERS

- Increases energy efficiency of the hot tub
- Tritech® waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full color box

### CONTENTS

- 1 thermal cover



| ITEM # | SIZE                                           | COMPATIBILITY                                                                                                  | WEIGHT                        |
|--------|------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------|
| 60319  | 1.85 m x 1.85 m x 68 cm /<br>73" x 73" x 27"   | Compatible with square hot tubs with lengths of 1.80 m (71") and heights of 71 cm (28")                        | 1 Ea. 7.54 kg<br>(16.62 lbs)  |
| 60332  | 2.08 m x 2.08 m x 79 cm /<br>82" x 82" x 31"   | Compatible with square hot tubs with lengths of 2.01 m (79") and heights between 71 cm (28") and 80 cm (31.5") | 1 Ea. 11.13 kg<br>(24.54 lbs) |
| 60333  | 2.37 m x 2.37 m x 70 cm /<br>93" x 93" x 27.5" | Compatible with square hot tubs with lengths of 2.30 m (90.5") and heights of 71 cm (28")                      | 1 Ea. 12.80 kg<br>(27.78 lbs) |



# TECHNICAL FEATURES & ACCESSORY COMPATIBILITY

|                                                   |  |  |  |  |  |  |  |  |  |  |  |  |
|---------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                   | MIAMI AIRJET® 4                                                                   | MIAMI AIRJET® 6                                                                   | RIVA AIRJET® 6                                                                    | HOLLYWOOD LUKE AIRJET® 6                                                          | HOLLYWOOD LUKE AIRJET® 6                                                           | HAWAII SMART AIRJET® 6                                                              | HAWAII SMART AIRJET® 6                                                              | HAWAII SMART AIRJET® 8                                                              | BALI SMART AIRJET® 6                                                                | BALI SMART AIRJET® 7                                                                | ROME SMART AIRJET® 6                                                                | ROME SMART AIRJET® 7                                                                |
| ITEM NUMBER                                       | 8001C                                                                             | 8001D                                                                             | 8002U                                                                             | 80059                                                                             | 8001F                                                                              | 8001G                                                                               | 8001H                                                                               | 8001J                                                                               | 8001N                                                                               | 8001P                                                                               | 8001K                                                                               | 8001M                                                                               |
| STANDARD BEAM                                     | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| MAXHOLD™ BEAM                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| THERMACORE™                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| POWER SAVING TIMER                                | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| WATER FILTER ACTIVATION                           | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| HEATING SYSTEM                                    | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| LED LIGHTS                                        |                                                                                   |                                                                                   |                                                                                   | *                                                                                 | *                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| APP CONTROL                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| RECHARGEABLE UNDERWATER VACUUM (80327)            | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| ALL IN ONE TOOL SET (80310)                       | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| POOL & SPA TEST STRIPS (58342)                    | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| POOL & SPA SALTWATER TEST STRIPS (58267)          | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| FILTER CARTRIDGE (80311)                          | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR (80340) | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| HOT TUB SEAT (80321)                              | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| PADDED PILLOW (80318)                             | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| PILLOW (80307)                                    | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| DRINK HOLDER (80306)                              | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| 4-IN-1 ACCESSORY TRAY (80337)                     | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| SOOTHING LED WATERFALL (80322)                    | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| 7-COLOR LED LIGHT (80303)                         | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| CANOPY (80304)                                    | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| DOME (80305)                                      | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   | *                                                                                   |
| FLOOR PROTECTOR (80334)                           | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                  | *                                                                                   | *                                                                                   | X2                                                                                  | *                                                                                   | X2                                                                                  | *                                                                                   | X2                                                                                  |

COMPATIBILITY CHART 133

# BESTWAY *timeline*

**1994**

Bestway founded in Shanghai, China & first inflatable, the beach ball, was produced!



**1999**

Bestway Hong Kong & USA opens

**1998**

Bestway Europe opens

**2002**



Bestway Central & South America opens

Introduced groundbreaking Fast Set pools

**2004**

Bestway Yancheng factory opens



**2006**

Bestway Australia opens

Solar panels installed across production facilities



**2007**



Bestway Nantong factory opens

Revolutionized outdoor market with the first-ever inflatable hot tub, Lay-Z-Spa (SaluSpa)

**2008**

Bestway Brazil opens



**2011**

Bestway offices in Italy, France & Germany open





Launched fashionable floats line, becoming trendsetters in the category

**2017** 



Bestway Vietnam factory opens

**2019**



Bestway USA moves to new office

Bestway Belux opens

**2022**



Bestway celebrates its 30th global anniversary

**2024**



Bestway Germany & Bestway Belux move to new offices

**2026**

**2014**

Bestway refreshes their company branding

Launched above ground pools, camping gear & watersports categories



**2018**

Bestway Eastern Europe & Middle East opens

**2021**

Bestway Scandinavia opens



**2023**



Introduced sleeping pad category

Bestway France moves to new office

**2025**



Introduced trampoline category





# AWARDS & *Accolades*

Bestway is a world-renowned company who cares – and our awards are proof! We're proud to be recognized by top brands and retailers across the world who have honored us for our sustainability efforts, high-quality products, unmatched culture and exceptional customer service.

2015



2017



Lay-Z-Spa  
TV Advertisement

2018



Amazing  
Record Holder

2020



2021



Category Winner

2022 - 2025



Best Companies  
in Arizona

2022



Garden & Pools

2022 + 2023



2017



Lay-Z-Spa  
Paris AirJet

2017 + 2019



On Climate  
Change Mitigation

2018



Walmart Supplier  
Growth Forum

2018



Lay-Z-Spa  
Maldives HydroJet Pro

2020



On Climate Action

2021



Lay-Z-Spa  
Palma HydroJet Pro

2021



Lay-Z-Spa  
Hollywood AirJet, Santorini HydroJet Pro,  
Zurich AirJet, Thermal Covers

2022



Lay-Z-Spa  
Zurich AirJet, Thermal Covers

2022



IE Magazine

2023



In the Chinese  
Manufacturing Industry

2024



For Sustainable Development  
Projects in Support of Life

2024



2022



2022



2022



2023



Spa & Sauna

2023



2023



San Francisco  
HydroJet Pro

2023



Most Prestigious  
Brands & Products

# INDEX

## STANDARD SERIES



MIAMI  
AIRJET™ 4  
6001C  
pg 22-25



MIAMI  
AIRJET™ 6  
6001D  
pg 26-29



IBIZA  
AIRJET™ 6  
6002U  
pg 30-33



HOLLYWOOD  
LUXE AIRJET™ 6  
60059  
pg 34-37



HOLLYWOOD  
LUXE AIRJET™ 6  
6001F  
pg 38-41

## MAXHOLD SERIES



HAWAII  
SMART  
AIRJET™ 6  
6001G  
pg 46-49



HAWAII  
SMART  
AIRJET™ 6  
6001H  
pg 50-53



HAWAII  
SMART  
AIRJET™ 8  
6001J  
pg 54-57



BALI  
SMART  
AIRJET™ 6  
6001N  
pg 58-61



BALI  
SMART  
AIRJET™ 7  
6001P  
pg 62-65



ROME  
SMART  
AIRJET™ 6  
6001K  
pg 66-69



ROME  
SMART  
AIRJET™ 7  
6001M  
pg 70-73



DOMINICA  
SMART  
HYDROJET™ 6  
6001S  
pg 74-77



CABO  
SMART  
HYDROJET™ 6  
6001R  
pg 78-81



SANTORINI  
SMART HYDROJET  
PRO™ 7  
6001T  
pg 82-85



MALDIVES  
SMART HYDROJET  
PRO™ 7  
6001U  
pg 86-89



SAN FRANCISCO  
SMART HYDROJET  
PRO™ 7  
6001Q  
pg 90-93

## THERMACORE SERIES



**CARRARA  
SMART  
AIRJET™ 6**  
6001V  
pg 96-99



**CARRARA  
SMART  
AIRJET™ 6**  
6006C  
pg 100-103



**TORONTO  
SMART  
AIRJET™ 7**  
6001W  
pg 104-107



**MYKONOS  
SMART  
HYDROJET™ 6**  
6005X  
pg 108-111

## ICE BATH SERIES



**GLACIAL ZEN™  
ICE BATH POD**  
6003R  
pg 114-115



**GLACIAL DIP™  
ICE BATH POD**  
6005Z  
pg 116-117



**GLACIAL DIP™  
ICE BATH TUB**  
6006B  
pg 118-119



**GLACIAL DIP™  
ICE BATH TUB**  
6005K  
pg 120-121

## XTRAS



**RECHARGEABLE  
UNDERWATER  
VACUUM**  
60327 | pg 124



**ALL IN ONE  
TOOL SET**  
60310 | pg 124



**POOL & SPA  
TEST STRIPS**  
58142 | pg 125



**POOL & SPA  
SALTWATER  
TEST STRIPS**  
58767 | pg 125



**FILTER  
CARTRIDGE (VI)**  
60311 | pg 125



**HYDROGENIC™  
0.5 G/H SALTWATER  
CHLORINATOR**  
60340 | pg 125



**HOT TUB SEAT**  
60321 | pg 126



**PILLOW**  
60307 | pg 126



**PADDED PILLOW**  
60316 | pg 126



**DRINK HOLDER**  
60306 | pg 127



**4-IN-1 ACCESSORY  
TRAY**  
60337 | pg 127



**SOOTHING LED  
WATERFALL**  
60322 | pg 128



**7-COLOR LED  
LIGHT**  
60303 | pg 128



**FLOOR  
PROTECTOR**  
60334 | pg 128



**CANOPY**  
60304 | pg 129



**DOME**  
60305 | pg 129



**ROUND ENERGYSense®  
THERMAL COVERS**  
60317, 60318, 60326,  
60331 | pg 130



**SQUARE ENERGYSense®  
THERMAL COVERS**  
60319, 60332,  
60333 | pg 131

# LIVE IT UP

Get the best out of life.  
Embrace the freedom of adventure.  
Soak in the serenity and enjoy quality time  
with the people you value most.

LIVE IT UP with **Bestway**

[WWW.BESTWAYCORP.COM](http://WWW.BESTWAYCORP.COM)



©2026 Bestway Inflatables & Material Corp. All rights reserved.  
\* Trademarks owned and managed by Bestway Inflatables & Material Corp.

